

Iran

20 février au 7 mars

2000

Note : les données sont présentées en anglais, les commentaires en français.
All the observations are in english and comments in french.

Participants : Philippe J. Dubois - Marc Duquet - Serge Nicolle - Alain Perthuis - Henri-Pierre Roche. Sur place, Ellen V. Tavakoli (guide) et Dr. Jamhsid Mansoori (Dept. of Environement) à partir du 2.03.

Itinéraire et météo :

DI 20.02 : Départ de **Paris-CDG** à 15h (HL) pour Francfort. Puis départ à 18h10 pour **Téhéran**. Arrivée à 22h10 (heure de Paris) soit 01h45 HL.

LU 21.02 : départ direct pour le **sud Caspienne** : traversée de nuit des monts Elbourz (superbe, sous la neige). Arrivée à **Nur (Nour)**. Visite d'**Esbaran**, au sud de **Fereidoonkenar** puis de la forêt du **parc national de Nour** et bord de la Caspienne dans cette ville.
Soleil, léger vent du nord, temps "printanier".

MA 22.02 : prospection des zones humides de **Larim Sara/Zarin Kola**, puis de **Seyed Mohalli**, puis vers le nord-est **Zagh Narz** enfin rapide (trop rapide) visite de la **baie de Gorgan** et de **Miankaleh Wildlife Refuge** en fin de journée.
soleil, grand ciel bleu, doux,, léger vent d'E.

ME 23.02 : départ de Nour. Arrêt chez Ellen Tavakoli à **Ruyan** (jardins alentour) puis retour vers **Téhéran** et traversée (de jour) de l'**Elbourz**. Arrêt avant **Marzanabad**. Quelques arrêts en haute montagne jusqu'au **col de Kandovan** à 3600 m.
Soleil, beau, doux, plus frais dans l'Elbourz.

JE 24.02 : départ de Téhéran à 7h20 pour **Chahbahar** (aéroport de Konarak) avec escale à Zahedan. Arrivée à 11h - Balouchistan iranien. Balade rapide dans le **port de Konarak**, puis le long de la côte le long de la **baie de Chahbahar**, jusqu'à cette ville (prospection de zone à acacias).
Assez chaud, soleil, beau, mais t° supportable, léger vent d'W.

VE 25.02 : départ de Chahbahar par la route vers **Negur** et visite du port de **Beris** et continuation jusqu'au **Khor Govater** : prospection de l'embouchure de la **rivière Sarbaz**. Retour par la côte et arrêt à **Lipar**, avant Chahbahar.
Soleil, assez chaud (30°C), mais vent d'W en fin d'après-midi.

SA 26.02 : Tôt le matin, prospection autour d'un petit village à **10km à l'est de Chahbahar**. Départ du Balouchistan à 11h45 pour **Bandar Abbas**. Port de cette ville puis bateau (rapide) pour l'île de **Qeshm** dans le **détroit d'Hormoz**. Balade le soir au sud-ouest de la ville de Qeshm.
Soleil, chaud à Bandar Abbas, mais vent d'W le soir rafraîchissant.

DI 27.02 : **île de Qeshm** - arrêt dans la steppe au N de **Suza** (+ plage), sur la côte sud. Puis route vers le **Parc National de Hara**. Bateau à travers la mangrove pour rejoindre la ville de **Laft** (vieux ville superbe) et balade le soir au **N de Laft** (zone à acacias et zyziphus).
Soleil, un peu brumeux le matin, puis chaud.

LU 28.02 : départ de Qeshm à 9h pour **Bandar Abbas**, puis taxi pour le secteur du **mont Geno** (que nous n'atteignons pas, le chauffeur ne connaissant pas la route). Retour à Bandar Abbas et avion à 19h30 pour **Shiraz**.
Soleil, chaud, mais vent d'W l'après-midi.

MA 29.02 : départ pour le **Parc National de Bamou** (monts du Zagros) pour la journée, puis visite le soir à **Persepolis**. Retour à Shiraz.

Soleil, frais le matin, puis bon l'après-midi (léger vent).

ME 1.03 : départ tôt le matin de Shiraz pour le **lac Arjan** situé à 2000m d'altitude, balade autour du lac et dans la forêt au-dessus jusqu'à 2600m. Retour sur Shiraz le soir et départ pour **Bushehr**.

soleil, très frais le matin (gel) puis beau l'après-midi.

JE 2.03 : Bushehr, puis départ pour la **rivière Hilleh** au nord de la ville et son embouchure (non atteinte). Retour le soir sur Bushehr.

soleil, fort vent de NW dès 11h (jusqu'à 6 BF), gênant les observations.

VE 3.03 : **baie de Bushehr** au sud jusqu'à **Halileh** et l'après-midi retour vers **Hilleh**, notamment le long de cette rivière à **Doroodgah** près de Borazjan.

Soleil, mais air chargé de sable, vent de NW toujours assez fort (moins à l'intérieur des terres).

SA 4.03 : départ de Bushehr pour le sud, à 130km, autour de l'**embouchure de la rivière Mond**. Puis en fin d'après-midi arrêts à **10km au sud de Karri**.

Même type de temps qu'hier.

DI 5.03 : de Bushehr, retour vers le nord près de la **rivière Hilleh** à **Abparkhash**, puis marais et cultures autour de la rivière sur des sites en partie déjà visités le 2.03. Le soir, **bassins de lagunage de Delvar**, 15km au N de Bushehr. Départ pour **Téhéran** à 22h20.

Soleil, pas de vent le matin, celui-ci se lève en milieu de journée (NW, 3 BF).

LU 6.03 : le matin, **gorges de Darakih**, au-dessus de Téhéran. Brève visite au **parc de Pardisan** où se trouve le zoo de Téhéran puis départ en avion pour **Kerman** à 16h45.

Soleil, assez frais à Téhéran.

MA 7.03 : prospection de la steppe à la recherche du Podoce de Pleske **entre Sharshemeh et Shahrabak** au SW de Rafsanjan. Retour le soir sur **Teheran** et envol dans la nuit pour Francfort et **Paris**, atteint à 9h (HL) le ME 8.03.

Soleil, frais le matin, agréable l'après-midi, léger vent d'W.

Déplacements : tous les déplacements importants se sont faits en avion. Tant mieux, car la conduite en Iran est très spéciale... Sur place, nous avons soit un minibus, soit un taxi soit (à Bushehr et à Chahbahar) une 4x4.

Logement : les hôtels sont tous très acceptables y compris à Bushehr après négociation pour changer de chambres.

Remerciements : Merci à tous ceux qui nous ont aidé à préparer ce voyage : Mikko Seppanen pour l'adresse d'Ellen Tavakoli qu'il nous a fournie, Jerzy Dyczkowski pour son rapport de voyage en octobre 1999, Dana Tavakoli, Ellen V. Tavakoli pour son aide efficace et sa patience "maternelle" avec ces ornithos-fous, nos amis les chauffeurs et guides locaux.

Également un grand merci à la Direction du Département de l'Environnement pour son aide sur place, et notamment à Mme Ektakar, Vice-Présidente de la République Islamique d'Iran et à Mr. A. Najafi, Deputy of DoE, à MM Peyraster (Shiraz) et Rostamian (Bushehr), ainsi qu'à M. Faradhpour, ornithologue à Shiraz et, bien sûr au Dr. Jamshid Mansoori pour son aide précieuse sur le terrain. Merci enfin à Alain Guillemont pour la préparation du voyage.

sites :

Esbaran = *damgah* (plan d'eau ceinturé de peupliers où se pratiquent une chasse aux canards "traditionnelle" qui consiste à capturer les canards le soir à la passée) au milieu de cultures, notamment de rizières. C'est là qu'hivernent les dernières Grues de Sibérie...

Nour ou Noor = forêt protégée de type Europe tempérée à chênes et hêtres notamment.

Larim Sara/Zarin Kola = zone marécageuse parsemée de prairies rases pâturées par des moutons (paysage steppique).

Seyed Mohalli = grand lac bordé de roselières au milieu d'une plaine cultivée. Petits marais aux alentours avec roselières.

Zagh Narz = zones cultivées (anciens marais...) avec haies et vergers.

Miankaleh = longue langue de terre à végétation steppique et arbustive sur dunes fixées et bordée par des marais immenses et une vaste baie (Gorgan). Accès réglementé, mais site sans doute prodigieux, du peu que nous en avons vu.

Marzanabad = zone de boisements et paysage ouvert à cyprès *Cupressus verticalis* (espèce endémique), sans doute bien en été ou plus tard au printemps, mais pauvre à cette époque.

baie de Chahbahar = vaste *khôr* à zone intertidale importante, bordé de dunes avec végétation à Acacias, Zyziphus, Prosopis et Tamaris. Marais salants près de la ville.

Beris harbour = superbe paysage avec montagnes de grès (type Cappadoce), assez désertique.

Govater = embouchure de rivière avec zone intertidale peu étendue (là où nous sommes), mangrove superbe mais impénétrable.

Lipar = oasis avec palmiers et acacias.

10km east to Chahbahar = village et zone à acacias et prosopis.

near Suza = palmeraie, zone steppique et plage.

Hara N.P. = grande zone de bras d'eau dans la mangrove, quelques vasières découvertes.

Geno = zone visitée constituée d'une petite rivière, d'une palmeraie et de pans de montagnes arides et caillouteuses à amygdaliers.

Bamou N.P. = steppe à asphodèles et *Artemisia* et falaises et éboulis à amygdaliers principalement. Superbe endroit, sauvage et bien protégé.

Arjan lake = vaste lac à 2000m d'alt. avec larges vasières et grande roselière au milieu du plan d'eau. Cultures autour (un petit village avec bosquets et ruisseau). La forêt dans les montagnes qui ceignent le lac est composée surtout du chêne *Quercus brantii* et d'amygdaliers.

Hilleh area = rivière bordée surtout de tamaris avec plages sableuses et graveleuses. Autour, steppe immense et prés salés, vastes marais à scirpes et joncs d'accès difficile, également cultures vivrières.

Bushehr Bay = côte sablo-vaseuse bordée d'une zone désertique.

Doroodgah = cultures, palmeraies en bordure de la rivière Hilleh, micro-falaises plantées de tamaris.

Mond estuary = steppe salée et sableuse et rivière bordée de tamaris.

south to Karri = buissons et arbustes sur dunes fixées en bordure de mer (très joli paysage).

Abparkhash = milieu à peu près identique à celui de Doroodgah.

Delvar sewage ponds = vastes bassins de lagunage plein d'oiseaux, en pleine steppe !

Darakh gorges/Teheran = belles gorges avec petite rivière, très fréquentées par les promeneurs !

between Sharshemeh and Shahrbabak = steppe à *Zygophyllum*, sur substrat sableux.

Liste systématique/Systematic List

Grèbe castagneux *Tachybaptus ruficollis* (Little Grebe)

15-20+ at Seyed Mohalli on 22.02, very numerous at Arjan Lake on 1.03, one on the river at Doroodgah on 3, one seen at Delvar sewage ponds on 6 (AP).

Grèbe huppé *Podiceps cristatus* (Great Crested Grebe)

20+ at sea on 21.02 at Noor, some on 22 at Seyed Mohalli and 10 at Miankaleh the same day. 2 at sea on 25 at Govater (PJD), one at sea on 27 at Laft, 20-30 on 1.03 at Arjan Lake (courtship).

Grèbe à cou noir *Podiceps nigricollis* (Black-necked Grebe)

2+ at sea on 21.02 at Noor, a few dozens in Gorgan Bay/Miankaleh on 22, 3 in Chahbahar Bay on 24, dozens on Arjan Lake on 1.03 and 60 on 6 at Delvar sewage ponds.

Puffin indéterminé *Puffinus sp.* (Unidentified Shearwater)

One, resting at sea, on 26.02 in Hormoz Straits.

Plutôt un grand oiseau de taille "Puffin cendré"...

Grand Cormoran *Phalacrocorax carbo* (Cormorant)

7 *sinensis* on the *damgah* of Esbaran on 21.02, incredible roost of about **25.000 birds** in the late afternoon of 22 at Miankaleh, 20 on 24 in Chahbahar Bay, at least 600 ind. in Govater on 25 (far away), one in Bandar Abbas

harbour on 26, a few in Hara N.P. on 27, 80 on 1.03 at Arjan Lake, 150+ in flight at Bushehr and 10 the following day in Bushehr Bay.

Le dortoir de Miankaleh est constitué de piquets (ou d'anciens troncs d'arbres, le niveau de la Caspienne ayant monté). Les oiseaux sont répartis sur plusieurs kilomètres de baie.

Cormoran pygmée *Phalacrocorax pygmeus* (Pygmy Cormorant)

Seen in Southern Caspian : 2 at Esbaran on 21.02 (SN/AP), 50+ on 22 at Seyed Mohalli.

Niche peut-être à Seyed Mohalli...

Pélican blanc *Pelecanus onocrotalus* (White Pelican)

10 on 1.03 at Arjan Lake.

Pélican frisé *Pelecanus crispus* (Dalmatian Pelican)

On 22.02, 3 in flight at Seyed Mohalli (2 ad. and 1 imm.), 12 in Gorgan Bay (and 3 others at sea at Miankaleh), 8 in flight on 24 in Chahbahar Bay, 15 (4 seen myself) on 25 at Govater, 4 in Hara N.P. on 28, 19 ind. on 1.03 in Arjan Lake.

L'espèce semble assez bien présente en Iran à cette époque de l'année ; sans doute des hivernants de Russie.

Crabier de Gray *Ardeola grayii* (Indian Pond Heron)

3 seen at Govater on 25 (in the mangrove), 2 on 27 in Hara N.P..

En plum. d'hiver.

Héron gardebœufs *Bulbucus ibis* (Cattle Egret)

15+ near Bushehr on 2.03, 2 in Bushehr Bay on 3, 40 in fields on 5 in Hilleh area.

Apparemment la sous-espèce *ibis*.

Aigrette des récifs *Egretta gularis* (Western Reef Egret)

On 24.02, 2 at Konarak and 3 in Chahbahar Bay ; on 25, 10 at Govater and 3 in BR ; about **60** on 27 in Hara N.P. (mangroves), 16 in flight on 2.03 at Bushehr above the sea, 5 (one white) the same day in Hilleh area, a few on 3 in Bushehr Bay.

Dans la zone de Hara N.P., 90% des oiseaux sont de forme sombre. En PN, les oiseaux présentent des lores violet-mauve (!) et des doigts rouges.

Aigrette garzette *Egretta garzetta* (Little Egret)

Dozens on 21.02 at Esbaran, 70 on 22 at Miankaleh (roost), a few dozens on 1.03 on Arjan Lake, some birds on 2 in Hilleh area, 3 at Doroodgah on 4 and 2 the same day in Mond estuary and one on 5 at Abparkhash.

Grande Aigrette *Ardea alba* (Great White Egret)

About 150 birds together on the *damgah* of Esbaran on 21.02, incredible roost of about 1.000+ birds on 22 in Gorgan Bay (Miankaleh), 3 on 25 at Govater, 20+ on 27 at Hara N.P., 20-30 on 1.03 at Arjan Lake, 5 on 2 in Hilleh area, one on 4 in Mond estuary, 3 on 5 in Hilleh area.

A Miankaleh, les oiseaux décollent (de loin) d'une immense roselière (dérangés par un pygargue ?) et se posent un peu plus loin (dortoir).

Héron cendré *Ardea cinerea* (Grey Heron)

Numerous on 21.02 at Esbaran, about 500 on 22 at Miankaleh, 4 in Chahbahar Bay on 24, 10 on 25 at Govater in mangrove trees, one on 26 south-east to Qeshm city, 40 in Hara N.P. on 27, fairly common on 1.03 at Arjan Lake and the following day in Hilleh area, 5 in Mond estuary on 4.

Cigogne noire *Ciconia nigra* (Black Stork)

One ad. in migration over Geno area on 28.02.

Ibis falcinelle *Plegadis falcinellus* (Glossy Ibis)

5 feeding along a small stream on 1.03 at Arjan Lake, one on 2 in Hilleh area (HPR), one on 5, flying in Hilleh area (marshes).

Spatule blanche *Platalea leucorodia* (Eurasian Sponbill)

2 imm. on 21.02 at ES, 5 on 25 at Govater, 25 in Hara N.P. on 27 (mangrove), 20+ on 1.03 at Arjan Lake, 20 near Hilleh estuary on 2, 2 in Mond estuary on 4.

Flamant rose *Phoenicopterus ruber* (Greater Flamingo)

A few tens of thousands birds, far away, in Gorgan Bay (Miankaleh) on 22.02, 50 on 25 at Govater, a few dozens near Bandar Abbas city on 26, 3 on 2.03 in Hilleh area and one ad. in Delvar sewage ponds on 6.

Oie rieuse *Anser albifrons* (White-fronted Goose)

Total of 23 birds seen on 1.03 around Arjan Lake, with Greylags (including in crops).

Oie cendrée *Anser anser* (Greylag Goose)

A few dozens on 21.02 at Esbaran, 5 at Seyed Mohalli on 22, 300+ on 1.03 at Arjan Lake, 100+ in Hilleh area on 2 including birds in steppe, 70 on 5 in the same area.

Sous-espèce *rubirostris*...

Tadorne casarca *Tadorna ferruginea* (Ruddy Shelduck)

14 on 1.03 on Arjan Lake, 4 on 2 in Hilleh area (but 60 seen by AP), 10 on 5 in the same area.

Tadorne de Belon *Tadorna tadorna* (Common Shelduck)

2 on 24.02 in Chahbahar Bay, 10 at sea, off Laft on 27, 15 on 1.03 at Laft, 120 birds on 2 in Hilleh area along the river not far from the estuary, 2 in Bushehr Bay on 3, one in Mond estuary on 4, 10-15 in Hilleh area on 5 and 20 on Delvar sewage ponds on 6.

Canard siffleur *Anas penelope* (Eurasian Wigeon)

Still numerous : dozens on 21.02 at Esbaran, 2-3 on 22 at sea at Noor, dozens on 22 at Seyed Mohalli and at Miankaleh, probably **1.000 ind.** on 1.03 at Arjan Lake, a few dozens on 2 and 5 in Hilleh area, one m. on 4 in Mond estuary, 12 on the river at Abparkhash on 5 and 150 on Delvar sewage ponds on 6.

Canard chipeau *Anas strepera* (Gadwall)

Hundreds on 21.02 on the *damgah* of Esbaran, dozens at Seyed Mohalli on 22, dozens the same day at Miankaleh, dozens on 1.03 at Arjan Lake, some birds on 2 and 5 at Hilleh area, 5 on 6 on Delvar sewage ponds.

Sarcelle d'hiver *Anas crecca* (Common Teal)

Dozens on 21.02 at Esbaran, 7-8 at sea at Noor the same day, 500 ind. on 22 at Seyed Mohalli and a few dozens at Miankaleh, 300+ on 1.03 at Arjan Lake, a few dozens on 2 and 5 at Hilleh area, une f. at Doroodgah on 4, and dozens on 6 on Delvar sewage ponds.

Canard colvert *Anas platyrhynchos* (Mallard)

Dozens on 21.02 at Esbaran and 50 at sea at Noor the same day ; on 22, dozens at Seyed Mohalli and Miankaleh, a few dozens on 1.03 at Arjan Lake and in Hilleh area on 2 and 5, 10+ at Doroodgah on 4.

Canard pilet *Anas acuta* (Pintail)

A very huge concentration of **15.000+ ind.** on 21.02 on the *damgah* of Esbaran, dozens on 22 at Seyed Mohalli, a few birds on 5.03 at Hilleh area and about 10 on 6 at Delvar sewage ponds.

Canard souchet *Anas clypeata* (Northern Shoveler)

Dozens on 21.02 at Esbaran and on 22 at Seyed Mohalli and Miankaleh (probably hundreds there), some birds on 1.03 at Arjan Lake, 10+ on 6 at Delvar sewage ponds.

Sarcelle marbrée *Marmaronetta angustirostris* (Marbled Duck)

Seen in Hilleh area : 100 on 2.03 and 150 on 5, not very visible in the marshes.

Nette rousse *Netta rufina* (Red-crested Pochard)

400+ ind. seen on 22.02 at Seyed Mohalli in a loose flock, some birds the same day at Miankaleh (Gorgan Bay).

Niche dans la région, apparemment (cf. Hüe & Etchécopar).

Fuligule milouin *Aythya ferina* (Common Pochard)

300 on 22.02 at Seyed Mohalli and dozens the same day at Miankaleh, 30 on 1.03 at Arjan Lake and 150 on 6 at Delvar sewage ponds.

Fuligule nyroca *Aythya nyroca* (Ferruginous Duck)

Two m. on 1.03 at Arjan Lake...

Fuligule morillon *Aythya fuligula* (Tufted Duck)

Dozens on 22.02 at Seyed Mohalli and Miankaleh, 20 on 1.03 at Arjan Lake.

Érismature à tête blanche *Oxyura leucocephala* (White-headed Duck)

10 ind. on 22.02 at Miankaleh (including some m.).

BONDREE ORIENTALE *Pernis ptilorhyncus* (Oriental Honey-Buzzard)

One - probably m. - over Abparkhash date palms on 5.03, lands for a while at the top of a tree. **First record for Iran !!**

Excellente observation : silhouette plus imposante que la B. apivore, plus corpulente. Barre terminale noire à la queue, précédée d'une autre barre au milieu de la queue, assez large. Pas de poignets noirs, par dessous. Six RP visibles, gorge blanche. Typique.

Milan noir *Milvus migrans* (Black Kite)

Migrant birds : 15 on 22.02 around Larim Sara/Zarin Kola, 3 the same day at Zagh Narz, 2 at Bandar Abbas on 26, **about 2.000+ birds** - mainly (only ?) *lineatus* - on 28 in the morning and then late afternoon, migrating over land between Bandar Abbas and Geno, 100 on 29 between Bamou N.P. and Shiraz, some birds on 2.03 at Bushehr , on 3 in Bushehr Bay area, and 50+ on 5 north to Bushehr .

Il existe une zone d'intergradation en Asie centrale entre *migrans* et *lineatus* (qui, dessous, ressemble un peu à un Milan royal dont il a presque la taille et les marques blanches). Les migrants de Bandar Abbas sont de toute évidence des *lineatus* en route vers l'Asie...

PYGARGUE DE PALLAS *Haliaeetus leucoryphus* (Pallas's Fish Eagle)

One ad. followed during 45 minutes in flight over Govater area on 25.02.

Superbe observation : un parfait ad. repéré à grande distance par AP, finit par nous survoler après avoir longuement planer au-dessus du delta de la rivière Sarbaz. A noter la tête crème, de même que, chez cet oiseau, le ventre qui paraît totalement pâle !

Cette espèce est à présent très rare en Iran.

Pygargue à queue blanche *Haliaeetus albicilla* (White-tailed Eagle)

One ad. in flight above Seyed Mohalli on 22.02 and no less than **24 birds** (3 ad.) standing on poles in the Cormorants's roost the same day at Miankaleh (Gorgan Bay). Elsewhere, one ad. and one imm. on 1.03 at Arjan Lake.

Vautour percnoptère *Neophron percnopterus* (Egyptian Vulture)

Seen on Qeshm island : 20 on 26.02, between near Suza and Hara N.P., mainly ad.

Vautour fauve *Gyps fulvus* (Griffon Vulture)

One near Geno on 28.02.

Vautour moine *Aegypius monachus* (Monk Vulture)

3 - migrants ? - on 28.02 at Geno.

Circaète Jean-le-Blanc *Circaetus gallicus* (Short-toed Eagle)

One near Konarak airport on 24.02, 2 (one dark ind.) near Negur on 25.

Observations confinées au Balouchistan : hivernants ?...

Busard des roseaux *Circus aeruginosus* (Marsh Harrier)

One imm. on 21.02 at Esbaran, 10+ on 22 at Seyed Mohalli (local), dozens in Miankaleh/Gorgan Bay area the same day. 5 on Arjan Lake on 1.03, 5-6 in Hilleh area on 2 and 5.

Busard Saint-Martin *Circus cyaneus* (Hen Harrier)

One m. on 21.02 between southern Elbourz and Noor, one m. on 22 at Zagh Narz, one m. on 5.03 in Hilleh area (and one f. seen by SN).

Busard pâle *Circus macrourus* (Pallid Harrier)

Seen around Hilleh area : 3 m. (and a probable f.) on 2.03 in the steppe, 2 m. north to Bushehr on 3 and 3 m. and 4 f. in the steppe on 5, and a f. the same day at Abparkhash. Total of 13-14 ind.

Belles obs. (enfin) de l'espèce. Vol assez typique, rapide et souple, avec des "pointes" rappelant presque un Faucon hobereau quand il poursuit des passereaux. Un m., apparemment ad., présente pourtant des marques brunes sur le dos. Sous forte luminosité, le gris paraît plus sombre, rappelant alors la couleur du B. cendré. Croupion blanc.

La f. est plus corpulente que celle du Cendré, les couv. sous-alaires des secondaires sont enfumées, la pointe des RP int. est blanche (sauf les plus externes), le masque facial bien typique.

Probablement exclusivement des hivernants.

Busard cendré *Circus pygargus* (Montagu's Harrier)

One f. on 2.03 in Hilleh area. (steppe) in flight and on the ground.

Épervier d'Europe *Accipiter nisus* (Eurasian Sparrowhawk)

One on 21.02 at Esbaran (AP), one f. on 22 at Larim Sara/Zarin Kola, 3 migrants on 28 at Bandar Abbas, one f. on 1.03 at Arjan Lake (MD), one f. on 6 in Darakih gorges/Tehran (PJD, HPR).

Unidentified sparrowhawks on 22.02 at Miankaleh (HPR), one on 4.03 south to Karri, one on 5 at Abparkhash and another in Hilleh area and one on 7 between Sharshemeh and Shahrabak .

Épervier shikra *Accipiter badius* (Shikra)

One m. in a tree on 25.02 at Lipar, at least one on 26 10 km east to Chahbahar (PJD, HPR), one north to Laft on 27.02, one on 29 at Bamou N.P., one on 3.03 at Doroodgah

Sous-espèce *cenchroides*, théoriquement migratrice (mais hiverne dans le sud du pays).

Buse variable *Buteo buteo* (Common Buzzard)

6-7 in Noor forest on 21.02, one standing on a pole on 22 at Zagh Narz, one at Ruyan on 23. One *vulpinus* "brown" on 5.03 in Hilleh area, standing on a pole (photographed).

Les oiseaux du sud de la Caspienne sont de la sous-espèce *menetriesi* (sédentaires). Taille sensiblement équivalente (ou un peu plus grande ?) que *vulpinus*, mais la plupart, sinon tous, des oiseaux vus se caractérisent par des parties inf. brun sombre, sans "collier" sur la poitrine, et pas de poignet pâle. De même le dessus est sombre, si bien qu'au total l'oiseau apparaît très "noir" à distance.

L'ind. *vulpinus* de la région de Hilleh est sans doute un hivernant.

Buse féroce *Buteo rufinus* (Long-legged Buzzard)

One pair near Geno on 28.02 (local), 2 near Shiraz on 29, one on rocks the same day at Persepolis, 2 on 1.03 between Shiraz and Arjan Lake, 3+ on 2 in Hilleh area, 2 at Doroodgah on 3, one south to Karri on 4, one at Abparkhash on 5, 2 the same day in Hilleh area and 3 on 7 between Sharshemeh and Shahrabak .

Nettement plus commune dans les environs de Bushehr , sans doute des hivernants. Sous-espèce type.

Buse pattue *Buteo lagopus* (Rough-legged Buzzard)

one juv. photographed on 21.02 at Zagh Narz

Ind. très contrasté (les parties pâles sont très blanches) et, surtout, avec les primaires ext. presque totalement noires. Sous-espèce *lagopus* ?...

Aigle criard *Aquila clanga* (Spotted Eagle)

One subad. (with white rump) on 21.02 at Esbaran (PJD, SN, AP), one ad. the same day above Noor forest (MD, AP, HPR). One ad. on 25 at Govater, one ad. on 27 near Suza, 3+ including one pale imm. on 1.03 at Arjan Lake, one ad. and one subad. on 3 at Doroodgah, one subad. on 5 at Abparkhash and 2 ad. (one seen by SN) the same day in Hilleh area. Total of 12 birds.

L'espèce semble hiverner assez communément en Iran !

Aigle pomarin *Aquila pomarina* (Lesser Spotted Eagle)

4-5 migrants on 28.02 at Geno, one ad. on 3.03 at Doroodgah.

C'est le début de la migration... Ces données précoces suggèrent que les premiers oiseaux atteignent l'Iran à cette époque (cf. autres migrants).

Aigle des steppes *Aquila nipalensis* (Spotted Eagle)

2 ad. at Govater on 25.02 (MD), total of 30 birds in migration at Geno on 28, 3-4 near Bamou N.P. on 29, 6-7 on 1.03 at Arjan Lake and 30 migrants (at rest on the ground) near Shiraz the same day, one ad. on 2 in Hilleh area.

Aigle impérial *Aquila heliaca* (Imperial Eagle)

One subad. on 24.02 at Konarak airport, then on 25, one subad. south to Negur and one imm. the same day west to Govater, near the seashore, one ad. in flight and resting 10 km east to Chahbahar on 26, one imm. (very well seen) and 2 ad. at Jijiyan/Qeshm island on 27, 3 first-year migrating over Geno on 28, 2 first-year near Bamou N.P. on 29, one ad. standing on a pylon on 1.03 at Arjan Lake (and 2 imm. seen by MD), one north to Bushehr on 3. Total of 16 birds.

De très belles obs. de cette espèce finalement bien représentée en Iran (migrants et hivernants).

Aigle royal *Aquila chrysaetos* (Golden Eagle)

One ad. and one imm. flying together near Marzanabad on 23.02 and a subad. the same day between Kandovan Pass and Teheran, 1-2 on 29 in Bamou N.P..

Aigle de Bonelli *Hieraetus fasciatus* (Bonelli's Eagle)

One imm. on 4.03 at Mond estuary and another imm. on 5, in flight with a full gizzard.

Balbusard pêcheur *Pandion haliaetus* (Osprey)

7+ on 24.02 in Chahbahar Bay, **15-20 ind.** on 25 between Chahbahar and Govater along the seashore, 2 near the Konarak airport on 26, one south-east to Qeshm city the same day, 5 along the sea near Qeshm city and Laft, one on 1.03 at Arjan Lake, 2 in Bushehr Bay on 3, one in Mond estuary on 4.

L'espèce est particulièrement bien présente le long de la côte du Balouchistan où elle niche très sûrement.

Faucon crécerelle *Falco tinnunculus* (Common Kestrel)

One on 21.02 at Esbaran, a few birds on 22 at Larim Sara/Zarin Kola and Zagh Narz, 2+ in Chahbahar Bay on 24, 5 between Chahbahar and Govater on 25, one at Jijiyan/Qeshm island on 26, 2 entre Bamou N.P. and Persepolis on 29, one seen by SN at Arjan Lake on 1.03, 2 in Hilleh area (ans one there on 5) on 2, one in Mond estuary on 4 and one south to Karri the same day, 3-4 on 7 between Sharshemeh and Shahrabak .

Faucon émerillon *Falco columbarius* (Merlin)

2 on 22.02 at Zagh Narz, one on 1.03 at Arjan Lake (HPR)

Les oiseaux de Zagh Narz sont très pâles et appartiennent à la sous-espèce *pallidus*, caractéristique.

Faucon pèlerin *Falco peregrinus* (Peregrine Falcon)

2, high in the sky, on 23.02 towards Kandovan Pass.

Sans doute de la sous-espèce *brookei*.

Faucon de Barbarie *Falco peregrinoides* (Barbary Falcon)

One subad. at rest on the ground on 1.03 on Arjan Lake mudflats.

Belle obs., à noter le dessus brun (subad.), mais la nuque bien roussâtre et quelques stries sur la poitrine.

Perdrix choukar *Alectoris chukar* (Chukar Partridge)

2 on 28.02 at Geno (PJD, HPR), 10+ on 29 in Bamou N.P., 2 south to Karri on 4.03, 4 in Darakih gorges/Tehran on 7.

Les oiseaux sont très gris-sable (sous-espèce *kurdestanica* et *werae* ?).

Perdrix si-si *Ammoperdix griseogularis* (See-see Partridge)

One at Lipar on 25.02 (AP), 4 in Bamou N.P. on 29 (SN).

Francolin gris *Francolinus pondicerianus* (Grey Francolin)

One seen on 25.02 at Govater (SN).

Francolin noir *Francolinus francolinus* (Black Francolin)

One on 22.02 at Miankaleh (HPR, SN), 2 (not seen by myself, one heard only) on 5.03 at Abparkhash and one m. well seen and heard the same day in Hilleh area (in bushes along a small canal).

Râle d'eau *Rallus aquaticus* (Water Rail)

One found dead on 21.02 at Esbaran, 2 on 22 at Seyed Mohalli, and one on 5.03 at Delvar sewage ponds.

Foulque macroule *Fulica atra* (Common Coot)

Thousands on 22.02 at Seyed Mohalli and at Miankaleh the same day, hundreds on 1.03 on Arjan Lake and 10 on 5 at Delvar sewage ponds.

Curieusement aucune Gallinule poule-d'eau *Gallinula chloropus* observée !!!...

Grue cendrée *Grus grus* (Common Crane)

At least 265 ind. leaving the Arjan Lake early in the morning of 1.03 to feeding grounds (and a few birds around the lake during the day), 2 ad. in steppic desert of Mond estuary on 4.

Encore des hivernantes.

GRUE DE SIBERIE *Grus leucogranus* (Siberian White Crane)

7 ind. - including one imm. - on the *damgah* of Esbaran on 21.02. The birds left the area and started their spring migration the following day !...

Pour des raisons qui nous dépassent, les autorités locales du Département de l'Environnement, présentes au moment de notre visite (!) ont refusé que nous observions les grues avec notre télescope (uniquement aux jumelles). Les oiseaux étant à quelques centaines de mètres, l'observation a été un peu frustrante... Néanmoins superbes oiseaux (elles se nourrissaient parmi les canards). Un oiseau semble bagué. Les dernières d'Iran.

Outarde de Macqueen *Chlamydotis macqueenii* (Macqueen's Bustard)

About 10 different birds, including 5 together on 4.03 in the steppe around Mond estuary.

Belles obs., mais oiseaux farouches. Des pièges (collets) sont notés en de nombreux endroits du site... Sans doute des hivernants venus d'Asie centrale.

Huitrier pie *Haematopus haematopus* (Oystercatcher)

10 on 25.02 at Govater, 4-5 on 26 south-east to Qeshm city (MD), some birds on 27 at Laft, one on 3.03 in Bushehr Bay (AP).

Échasse blanche *Himantopus himantopus* (Black-winged Stilt)

7 at Konarak on 24.02, one at Bandar Abbas (city) on 26 (MD), 4-5 on 2.03 at Bushehr, 20+ in Hilleh area the same day, 15 in Bushehr Bay on 3, dozens on 5 in Hilleh area (marshes) and 40 the same day at Delvar sewage ponds.

Sans doute en grande partie des hivernants.

Avocette élégante *Recurvirostra avosetta* (Avocet)

9 on 27.02 in Hara N.P., 350 in feeding on 2.03 in Hilleh area, not far from the estuary, one on 3 in Bushehr Bay, 14 on 5 at Delvar sewage ponds.

Drome ardéole *Dromas ardeola* (Crab-Plover)

9 on mudflats on 25.02 at Govater, 35 ind. on 27 in Hara N.P. (some imm.) on mudflats along mangroves.

Curieux oiseau dont la taille relativement grande est surprenante. Les parties sombres des imm. sont noirâtre-grise et non noires.

Œdicnème criard *Burhinus oedicanus* (Stone-Curlew)

4 on 4.03 in Mond estuary.

Petit Gravelot *Charadrius dubius* (Little Ringed Plover)

2 Chahbahar Bay on 24.02, 5 on 26 south-east to Qeshm city, 3 in Geno area on 28 (along a small stream), some on 2.03 in Hilleh area, 3 on 3 at Doroodgah along the river, some on 5 at Delvar sewage ponds.

Hivernants possibles, mais principalement des migrateurs/nicheurs déjà arrivés.

Grand Gravelot *Charadrius hiaticula* (Great Ringed Plover)

one near Suza on 26.02 (on the beach), one on Hilleh area on 2.03 in a marshy area.

Bien peu commun...

Gravelot à collier interrompu *Charadrius alexandrinus* (Kentish Plover)

10 in Chahbahar Bay on 24.02 (salt pans), on in Beris harbour and one at Govater on 25, one south-east to Qeshm city on 26, 5 in Hara N.P. the following day, dozens in Hilleh area (marshes) on 2 and 5.03, a few birds on 3 in Bushehr Bay, one on 4 at Mond estuary.

Gravelot mongol *Charadrius mongolus* (Lesser Sand Plover)

One ad. on 26.02 south-east to Qeshm city among Greater Sand P (PJD, AP)...

Bien peu ! A noter la taille sensiblement inférieure au G. de Leschenault ainsi que le dos d'un brun gris plus sombre. Les GL ont des pattes de couleur assez variable - de jaunâtre à brun-noir - tandis que le Mongol les a noires.

Gravelot de Leschenault *Charadrius leschenaultii* (Greater Sand Plover)

15 in Chahbahar Bay (salt pans) on 24.02, 15 in Beris harbour on 25 (SN) and 5-6 at Govater the same day, 9 south-east to Qeshm city on 26 (on the beach), 15 in Hara N.P. on 27, one in Hilleh area on 2.03 and 2 in Bushehr Bay on 3.

Sous-espèce non vérifiée, mais les oiseaux n'ont pas un bec particulièrement fort et long.

PLUVIER FAUVE *Pluvialis fulva* (Pacific Golden Plover)

3 on a mudflat in Hara N.P. on 27.02 (PJD, MD, SN).

Bien noté les axillaires grises, la hauteur des pattes, le sourcil blanchâtre bien marqué, la coloration légèrement plus chaude sur le dos que chez le P. doré et le cri typique (ent. par SN). Quel est son statut en Iran ???

Pluvier doré *Pluvialis apricaria* (European Golden Plover)

170 ind. in flight over Larim Sara/Zarin Kola on 22.02.

Pluvier argenté *Pluvialis squatarola* (Grey Plover)

One on 25.02 in Beris harbour (MD), 16 south-east to Qeshm city on the beach on 26, 30 in Hara N.P. on 27 on mudflats along the mangroves, one at Halileh in Bushehr Bay on 3.03, 3 in Mond estuary on 4.

Vanneau indien *Vanellus indicus* (Northern Lapwing)

2 near Chahbahar on 25.02 (MD), one 10 km east to Chahbahar on 26, one in Bandar Abbas the same day, 2 pairs holding territory on 28 near Geno, 2 in Hilleh area on 2.03, 8 apparently breeding at Doroodgah on 3, 5-6 at Abparkhash on 5 (breeders) and 10+ the same day in Hilleh area (holding territories in fields and steppe).

Les oiseaux cantonnés sont très démonstratifs, comme le V. éperonné par exemple.

Vanneau à queue blanche *Vanellus leucurus* (White-tailed Lapwing)

7 ad. on 3.03 on the river at Doroodgah, 2 on 5 at Abparkhash (SN, AP), one the same day near Bushehr (MD) and 6 at Delvar sewage ponds (same day) apparently by pairs.

En PN les pattes sont d'un jaune super vif ! De même le bas ventre est gris (superbe !). Apparemment cantonnés par couples sur les bassins de décantation de Delvar.

Vanneau huppé *Vanellus vanellus* (Northern Lapwing)

some birds on 21.02 at ES, 2 near Sari on 22, one in Hara N.P. (!) on 27 (MD), 14 at Persepolis on 29, 50 at Arjan Lake on 1.03, one in Mond estuary on 3, one in Hilleh area on 5.03.

Encore de petits groupes d'hivernants, y compris bien au sud.

Bécasseau minute *Calidris minuta* (Little Stint)

10-15 birds on 27.02 on mudflats in Hara N.P., several dozens on 2.03 and 15 on 5 in Hilleh area (marshes), 4 on 4 in Mond estuary, dozens at Delvar sewage ponds on 5.

Bécasseau de Temminck *Calidris temminckii* (Temminck's Stint)

2 on 5.03 in Hilleh area (marshes) and 3 at Delvar sewage ponds the same day.

Sans doute des hivernants.

Bécasseau variable *Calidris alpina* (Dunlin)

4 in Chahbahar Bay on 24.02, 4 in Beris harbour on 25, 100+ on the beach south-east to Qeshm city on 26, 100 in Hara N.P. the following day, dozens in Hilleh area on 3.03 and 15 on 5 at Delvar sewage ponds.

Combattant varié *Philomachus pugnax* (Ruff)

In Hilleh area, 50+ on 2.03 and several dozens on 5, 20+ in steppe on 3 in Bushehr Bay, several dozens on 5 at Delvar sewage ponds.

Encore de petits groupes d'hivernants, y compris bien au sud.

Bécassine sourde *Lymnocyptes minimus* (Jack Snipe)

one well seen at Delvar sewage ponds on 5.03.

BÉCASSINE A QUEUE POINTUE *Gallinago stenura* (Pintail Snipe)

2 in flight on 3.03 at Doroodgah.

Quel est statut en Iran ??? Présente au moins à Bahrain et Oman, mais passe sans doute inaperçue.

Bécassine des marais *Gallinago gallinago* (Common Snipe)

40 at Esbaran on 21.02, a single flock of 300 birds (!) on 22 at Larim Sara/Zarin Kola, 4 at Seyed Mohalli the same day, 2 on 1.03 at Arjan Lake, 40 on a gravel bank at Doroodgah on 3, 7-8 at Delvar sewage ponds on 5.

Barge à queue noire *Limosa limosa* (Black-tailed Godwit)

Hundreds on 21.02 on Esbaran *damgah*, several hundreds on 1.03 at Arjan Lake.

Troupes d'hivernants, très probablement.

Courlis corlieu *Numenius phaeopus* (Whimbrel)

5-6 on 25.02 at Govater, 7-8 in Bandar Abbas harbour and 3 south-east to Qeshm city on 26, total of 150 in mangroves of Hara N.P. including at least one (and probably several) *alboxallaris* birds, on 27.

Un oiseau noté à Hara N.P., présente un plumage plus pâle et plus contrasté que les autres Corlieux, un calotte moins nette et surtout des axillaires et des sous-alaires unies, blanches, non barrées. Très probablement un oiseau de la (rare) sous-espèce *alboaxillaris* originaire des steppes russes et kazakhs (et sans doute plusieurs oiseaux notés).

Courlis cendré *Numenius arquata* (Eurasian Curlew)

One on 21.02 at Esbaran (MD), 20 on 24 in Chahbahar Bay, 6 on 25 at Govater, several in Bandar Abbas harbour on 26, about 500 in mangroves of Hara N.P. on 27, several on 2.03 in Hilleh area, several on 4 in Mond estuary, 2 on 5 in Hilleh area again.

Une grande majorité, sinon tous les oiseaux, est de la sous-espèce *orientalis* : grande taille, très grand bec, axillaires et sous-alaires blanches, souvent unies, parfois à peine striées.

Chevalier arlequin *Tringa erythropus* (Spotted Redshank)

2+ on 1.03 at Arjan Lake, one on 2 in Hilleh area,

Chevalier gambette *Tringa totanus* (Redshank)

30 in flight on 22.02 at Miankaleh, some birds on 25 at Govater, 10 south-east to Qeshm city on 26, 250 ind. on 27 in Hara N.P., one at Geno (!) on 28, dozens on 1.03 at Arjan Lake, several in Hilleh area on 2 and 10 on 5, one on 3 at Doroodgah, at last 20 at Delvar sewage ponds on 5.

Chevalier stagnatile *Tringa stagnatilis* (Marsh Sandpiper)

In Hilleh area, 5 on 2.03 and 3 on 5, one at Doroodgah on 4, on the river, 15 ind. on 5 at Delvar sewage ponds.

Chevalier aboyeur *Tringa nebularia* (Greenshank)

One on 25.02 at Govater, 5 in Hara N.P. on 27, one on 1.03 at Arjan Lake, 2 in Hilleh area on 2, 2 on 3 at Doroodgah, one on 4 in Mond estuary.

Chevalier culblanc *Tringa ochropus* (Green Sandpiper)

One heard on 21.02 at Esbaran, one in Beris harbour on 25 (MD, SN), one on 1.03 at Arjan Lake, 2 on 2 in Hilleh area, 2 on 3 at Doroodgah, one on 5 at Abparkhash and 2+ the same day at Delvar sewage ponds, at last one between Sharshemeh and Shahrabak on 7 (SN).

Chevalier sylvain *Tringa glareola* (Wood Sandpiper)

2+ on 22.02 at Larim Sara/Zarin Kola (wintering birds).

Chevalier bargette *Tringa cinerea* (Terek Sandpiper)

5 on 25.02 at Govater, **100+** on 27 in Hara N.P. mangroves, 2 at Bandar Abbas harbour on 28 (PJD), 10 on 2.03 in Hilleh area, near the estuary.

Hivernage important dans la zone de mangroves. A noter le caractère très farouche des oiseaux qui décollent d'assez loin, même en approche par bateau...

Chevalier guignette *Actitis hypoleucos* (Common sandpiper)

One on the beach at Noor on 21.02, 2 in Beris harbour on 25 and 2 the same day at Govater, one in Qeshm city harbour on 26, 20 in Hara N.P. on 27.

Phalarope à bec étroit *Phalaropus lobatus* (Red-necked Phalarope)

One in Hilleh area on 2.03 (in marshy area) and 5 together on a pond on 5 at Delvar sewage ponds.

Sans doute des hivernants (hiverne en nombre à Oman)...

Labbe parasite *Stercorarius parasiticus* (Arctic Skua)

One ad. on 26 south-east to Qeshm city (at sea) and 2 ad. at sea off Qeshm city in Hormoz Strait.

Goéland d'Hemprich *Larus hemprichii* (Sooty Gull)

10 1st-summer on 25.02 in Beris harbour, one 1st-summer the same day at Govater.

Goéland ichthyaète *Larus ichthyaetus* (Great Black-headed Gull)

One ad. and one 3rd-winter on 24.02 at Konarak, 20 together in flight over desert on 25 near Beris and 2 (one ad.) the same day at Govater, 3 ad. on 27 in Hara N.P., 25+ inland at Arjan Lake on 1.03, and 5 ad. in SP in Bushehr Bay on 4.

Finalement assez peu d'oiseaux et notamment aucun sur les bords de la Caspienne !? Oiseaux déjà remontés ou diminution d'effectifs ???...

Mouette rieuse *Larus ridibundus* (Black-headed Gull)

250 at sea off Noor on 21.02 (nocturnal roost), one in Beris harbour on 25, and 2 at Govater the same day, 600+ on 26 in Bandar Abbas harbour and 200 the same day in Qeshm city harbour, 1-2 near Suza on 27, some birds in Shiraz on 29, dozens on 1.03 at Arjan Lake, dozens in Bushehr on 2 (along the sea), several the same day in Hilleh area, dozens in Bushehr Bay on 3, and several on 5 at Delvar sewage ponds.

Goéland railleur *Larus genei* (Slender-billed Gull)

70+ in flight towards a nocturnal roost on 22.02 at Miankaleh, 50 at roost on 24 in Chahbahar Bay, 40 in Beris harbour and 25 at Govater on 25, 10+ at sea in Hormoz Strait near Bandar Abbas on 26, 2 in Qeshm harbour the same day, 10+ near Suza on 27 (beach) and 10 in Hara N.P., 2+ ad. on 1.03 at Arjan Lake, several on 2 at Bushehr (along the shore) and some birds in Hilleh area, 2 in Bushehr Bay on 3, 5-6 in Mond estuary on 4.

Goéland cendré *Larus canus* (Common Gull)

6 ad. and one 1st-summer on 21.02 at roost among B.-h. Gulls off Noor (Caspian), one ad. (seen by others) on 2.03 at Bushehr and 2 ad. on 3 in Bushehr Bay.

Sous-espèce *heinei*. Honnêtement, les oiseaux de la Caspienne (vus de loin, il est vrai), n'ont pas paru très dissemblables de ceux que l'on voit en Europe de l'Ouest. Ceux vus dans le sud (baie de Bushehr) étaient en revanche assez massifs, hauts sur pattes.

Goéland de Sibérie *Larus heuglini* (Siberian Gull)

On 24.02, total of 40 at Konarak and several in Chahbahar Bay, 30 in Beris Harbour and 150 at Govater on 25, several in Bandar Abbas harbour on 26 and the same day in Qeshm city harbour, 1-2 at Laft on 27 and 15-20 in Hara N.P., several on 2.03 in Bushehr, 40+ at Halileh harbour and around, in Bushehr Bay, on 3.

La grande majorité des oiseaux sont de la sous-espèce *heuglini*. Forte taille, sup. à celle de *cachinnans*, poitrine plus forte, tête plutôt anguleuse avec des stries ± nbx sur la nuque. Œil de couleur variable, mais le plus souvent jaune à jaune pâle, parfois ambrée voire ambre-brun. Le dos est gris ardoisé type *graellsii*, parfois un peu plus pâle encore, mais plus sombre que *cachinnans*. Pattes allant de jaune-rosé pâle à jaune assez vif (le plus souvent). Le bec est assez fort, à l'angle goniale bien marqué ; jaune, parfois assez pâle, est assez souvent marqué d'une barre subterminale noire (env. 60% des cas).

Cependant des oiseaux présentant les caractéristiques de la sous-espèce "*taimyrensis*" sont régulièrement observés comme à Konarak (?), Govater, Hara et dans le port de Halileh/Bushehr (photo) notamment : dos un peu plus pâle que les *heuglini*, à peu près indifférentiable en couleur de celui de *barabensis* (et *cachinnans* "oriental"), également des stries sur la tête. Pattes davantage chair, jaune pâle (mais aussi jaune vif ou jaune verdâtre comme *heuglini*). Semble aussi un peu plus bas sur pattes qu'*heuglini*. Œil de coloration variable également, de jaune pâle (assez souvent) à brun ambré.

A Hara, un 3ème année (photographié) présente des pattes roses, un dos gris assez pâle, des stries à l'arrière de la nuque, mais n'est pas très fort (f. ?) et plutôt bas sur pattes.

Oiseaux de 1er été photographiés ; montrent pas mal de plumes grises sur le dos, une tête blanche, et le "look" rappelle un peu celui de *cachinnans*, avec un bec plus fort.

Goéland pontique *Larus cachinnans* (Pontic/Caspian Gull)

Birds are mainly *cachinnans*-type (i.e. "eastern" Caspian Gull). Here are listed observations of such a type or birds without any identified form : 2 ad. on 21.02 off Noor, 10 on 22.02 at Miankaleh ; on 24, several at Konarak and one 1st-winter in Chahbahar Bay, 1-2 in Beris harbour on 25, 10 at Govater the same day, one possible in Hara N.P. on 28, 15 on 1.03 at Arjan Lake, 4-5 in Halileh harbour in Bushehr Bay on 3.

Some birds show clearly *ponticus*-like features (i.e. "eastern" Pontic/Caspian Gull) : one ad. on 25 at Govater, one ad. on 2.03 in Hilleh area (photographed)

Sur la côte sud de l'Iran, *cachinnans* semble mieux représenté dans l'est (Balouchistan) que dans l'ouest où *barabensis* domine.

Cachinnans n'est pas facile à distinguer de *barabensis*, si ce n'est un manteau à peine plus pâle, une fine bande pâle entre le gris et le noir des primaires externes (pas facile à voir), un peu moins de noir au primaires, miroirs blancs plus grands sur p10 et p9, bec jaune plus pâle (pointe encore plus pâle), avec une barre subterminale noire, plus long, pattes d'un jaune moins vif, plus haute, œil apparaissant sombre. Les oiseaux de type "*ponticus*" on en plus le bout de la p10 totalement blanche (dessus et dessous) et le vexille int. des primaires externes blanc ("store vénitien) et un manteau un peu plus pâle encore que *cachinnans*.

Goéland de Baraba *Larus (sp. ?) barabensis* (Baraba/Steppe Gull)

At least one ad. on 25.02 at Govater, 50 in Bandar Abbas harbour and several in Qeshm city harbour on 26, 10 at Laft and 30-40 in Hara N.P. on 27, several on 2.03 off Bushehr, several dozens in Bushehr Bay on 3 (including around Halileh).

2 000 unidentified gulls on 28, east to Bandar Abbas harbour, belong probably mainly to this form.

Identification toujours délicate de cette forme peu connue. A retenir : taille légèrement inférieure à *cachinnans*, silhouette plus fine, tête plus ronde (blanche, sans stries), manteau d'un gris un peu plus soutenu. Beaucoup de noir sur les primaires (jusqu'à p3 parfois), miroir blanc limité (mais pas toujours) sur p10, petit ou absent sur p9. Pas de "cerne" blanc entre le gris et le noir des primaires int., le noir remonte parfois jusque sur les grandes couv. alaires externes. Œil de couleur assez variable, mais assez fréquemment jaune pâle, pattes jaune vif (ad.), bec jaune vif avec, très souvent une barre noire subterminale. Pas grand chose sur les jeunes...

Remarque : certains oiseaux n'ont pu être spécifiquement identifiés (entre *cachinnans* et *barabensis*), tandis que d'autres, sans doute des *taimyrensis*, étaient également très semblables à *barabensis*. Tout ceci mérite encore des éclaircissements !

Sterne hansel *Sterna nilotica* (Gull-billed Tern)

One at Govater on 25.02 (PJD), 3-4 on 27 in Hara N.P., several dozens on 2.03 in Hilleh area, 5 at Halileh in Bushehr Bay on 3, 2 in Mond estuary on 4, 30+ over fields in Hilleh area on 5.

Sterne caspienne *Sterna caspia* (Caspian Tern)

3 at Konarak along the beach and one in Chahbahar Bay both on 24.02, several in Beris harbour and 20-25 at Govater on 25, 15-20 on 27 in Hara N.P., 5-6 at Bushehr on 2.03, 5+ at Halileh in Bushehr Bay on 3, 2 in Mond estuary on 4.

Sterne huppée *Sterna bergii* (Crested Tern)

5 in Chahbahar Bay on 24.02, several dozens in Beris harbour and **250** at roost at Govater on 25, a few birds in Bandar Abbas harbour on 26 and 15+ in Qeshm city harbour the same day, one in Hara N.P. on 27, 3 at Halileh in Bushehr Bay on 3.

De loin, cette sterne fait gris foncé (de même que le croupion). Taille sup. à la Caugek.

Sterne voyageuse *Sterna bengalensis* (Lesser Crested Tern)

2 ad. at roost at Govater on 25.02, 10 in Bandar Abbas harbour and 20 in Hormoz Strait on 26, 40 near Suza on the beach on 27, 10 the same day near Laft, 45 ind. fishing at Bushehr on 2.03, 20 in Bushehr Bay on 3.

Taille semble légèrement inf. à celle de la Caugek quand elle est posée. Croupion gris (et non blanc).

Sterne caugék *Sterna sandvicensis* (Sandwich Tern)

12 off Noor on 21.02 (winters in Caspian Sea), several dozens in Chahbahar Bay on 24, 50 in Chahbahar harbour on 25 and 15+ the same day at Govater, several in Bandar Abbas harbour on 26, 25-30 on the beach near Suza on 27, 50+ on 3.03 in Bushehr Bay.

Sterne pierregarin *Sterna hirundo* (Common Tern)

500 birds on the beach near Suza on 27.02.

A l'évidence des oiseaux hivernants... quel est son statut en hiver dans le sud de l'Iran ??

Sterne à joues blanches *Sterna repressa* (White-cheeked Tern)

2 in WP among common Terns on 27.02 near Suza.

Taille légèrement inf. à celle de la Pierregarin, fait plus bas sur pattes, mais bec assez long (rappelle un peu une Guifette noire). En PH, manteau légèrement plus gris foncé, de même que le croupion. Semble hiverner (en très petit nombre ?) dans cette partie du Golfe Persique.

Guifette moustac *Chlidonias hybridus* (Whiskered Tern)

4 on 2.03 in Hilleh area (marshes) and one over the river at Doroodgah on 3.

Hivernants probables (en PH).

Ganga tacheté *Pterocles senegallus* (Spotted sandgrouse)

50 in the steppe on 4.03 in Mond estuary.

2 unidentified sandgrouses in flight on 7 between Sharshemeh and Shahrbabak.

Pigeon biset *Columba livia* (Rock Dove)

2 in flight on 24.02 in Chahbahar Bay. Seen in villages in Balouchistan on 25 and 26 (feral), also several in cliffs at Bamou N.P. on 29.

Pas de croupion blanc.

Pigeon ramier *Columba palumbus* (Wood Pigeon)

One in Noor forest on 21.02 (SN), 3+ above Arjan Lake in the *Quercus brandii* forest on 1.03,

Tourterelle turque *Streptopelia decaocto* (Collared Dove)

30 on electric wires on 25.02 near Negur, 2 on 1.03 at Arjan Lake, one in Bushehr on 2, one at Doroodgah on 3, 2 south to Karri on 4, several near Bushehr on 5.

Tourterelle maillée *Streptopelia senegalensis* (Laughing Dove)

Several in Tehran on 24.02, 5 on 26 10 km east to Chahbahar, 4 on 26 near Suza, several on 28 at Geno, several on 2.03 in Bushehr and in Bushehr Bay on 3, 20 in Mond estuary on 4 (SN), several on 4 south to Karri, several in Hilleh area on 5 and in Tehran again on 6 and one in Darakih gorges/Tehran the same day.

Perruche à collier *Psittacula krameri* (Rose-ringed Parakeet)

One in Negur on 25.02 (MD).

Coucou gris *cuculus canorus* (Common Cuckoo)

3 (2 singing and one red morph female) on 28.02 at Geno, one heard on 29 at Bamou N.P.

Plutôt précoces !

Chevêche d'Athéna *Athene noctua* (Little Owl)

4+ on 7.03 between Sharshemeh and Shahrababak...

Hibou des marais *Asio flammeus* (Short-eared Owl)

One in the steppe (!!) on 7.03 between Sharshemeh and Shahrababak.

Engoulevent du désert *Caprimulgus aegyptius* (Common Swift)

One crossing the road at night towards Bushehr (coming from Hilleh) on 3.03.

Oiseau très pâle, sans marques blanches aux ailes.

Martinet noir *Apus apus* (Common Swift)

Several on 26.02 in Bandar Abbas, 5-10 in migration on 26 near Suza, dozens in Bandar Abbas (including migrants) on 28, several dozens in migration on 29 between Bamou N.P. and Persepolis, dozens in Shiraz on 1.03, several on 2 in Bushehr, dozens in migration on 2 in Hilleh area and on 3 in Bushehr Bay and Doroodgah, several on 4 in Mond estuary, dozens migrating on 5 in Hilleh area and over Delvar sewage ponds.

C'est la sous-espèce *pekinensis*, un peu plus brune qu'*apus* qui est visible ici.

Martinet pâle *Apus pallidus* (Pallid Swift)

7 together at Konarak airport on 24.02, several on 25 at Govater and on 26 at Bandar Abbas, several in migration near Suza on 27, several in migration between Bamou N.P. and Persepolis on 29, several on 2.03 in Hilleh area and at Doroodgah on 3, several on 4 in Mond estuary, dozens in migration on 5 in Hilleh area and at Delvar sewage ponds (hunting over ponds).

Race type ici (dont assez pâle).

Martinet à ventre blanc *Apus melba* (Alpine Swift)

Several hundreds in migration on 28.02 over Geno, 10+ in Bamou N.P. and several at Persepolis on 29, 2 on 3.03 at Doroodgah, 5 in Mond estuary on 4.

Martinet des maisons *Apus affinis* (Little Swift)

2 at Doroodgah on 3.03, one on 5 in Hilleh area.

Martin-chasseur de Smyrne *Halcyon smyrnensis* (Smyrna Kingfisher)

One on 25.02 at Govater (SN *et al.*), 4+ along the river at Doroodgah on 3.03, 3 at Abparkhash on 5.

Martin-pêcheur d'Europe *Alcedo atthis* (Common Kingfisher)

3 on 21.02 at Esbaran, 2 on 22 at Seyed Mohalli, one in Beris harbour on 25 and one at Govater the same day, 2 in Hara N.P. on 27, one at Doroodgah on 3.03, on at Abparkhash on 5.

Alcyon pie *Ceryle rudis* (Pied Kingfisher)

In Bushehr area : 7 on 2.03 in Hilleh area, 6+ on 3 at Doroodgah, one on 4 in Mond estuary, 2 at Abparkhash and 2 in Hilleh area on 5.

Guêpier d'Orient *Merops orientalis* (Little Green Bee-eater)

One in Chahbahar Bay on 24.02 (PJD), 2 at Lipar on 25 and 4 at Govater, 10+ 10 km east to Chahbahar and 7 south-east to Qeshm city on 26, several near Suza on 27, 5 at Geno on 28, several on 2 and 5.03 in Hilleh area and on 3 at Doroodgah, one on 4 south to Karri.

Sous-espèce *beludschicus* à gorge bleu pâle bordée par un fin trait noir, queue assez longue (mais moins que les oiseaux d'Afrique).

Rollier indien *Coracias benghalensis* (Indian Roller)

First one in Konarak airport on 24.02, then several on 25 at Lipar, at least one 10 km east to Chahbahar, one at Bandar Abbas and one south-east to Qeshm city on 26, 10 between Suza and Hara N.P. on 27, several towards Bamou N.P. on 29, dozens on 2 and 5.03 in Hilleh area and the same day at Doroodgah.

Superbe, notamment en vol avec la partie subterminale des primaires bleu pâle.

Huppe fasciée *Upupa epops* (Hoopoe)

One on 28.02 at Geno (PJD), 2 in Bamou N.P. on 29, one on 1.03 at Arjan Lake, 5 on 2 in Hilleh area, 3 on 3 at Doroodgah, 5 on 4 south to Karri, 2 in Hilleh area on 5 and one on 7 between Sharshemeh and Shahrabak .

Pic épeiche *Dendrocopos major* (Great Spotted Woodpecker)

One seen and 2 heard (drumming) on 21.02 in Noor forest,

Sous-espèce *poelzami* au dessous assez sombre et enfumé.

Pic syriaque *Dendrocopos syriacus* (Syrian Woodpecker)

4 birds (one f. seen by myself) on 1.03 at Arjan Lake (small orchards), one m. on 6 in Darakih gorges/Tehran (PJD, HPR).

Pic épeichette *Dendrocopos minor* (Lesser Spotted Woodpecker)

One seen and 3 heard (song) on 21.02 in Noor forest (SN).

Moinelette à front blanc *Eremopterix nigriceps* (Calandra Lark)

16 (only 2 f.) on 26.02 10 km east to Chahbahar, one m. the same day near Suza and 6 N to Laft (SN).

Sous-espèce *melanauchen*.

Ammomane isabelline *Ammomanes deserti* (Desert Lark)

2 - no seen by myself - on 25.02 near Negur, 3-4 on 29 in Bamou N.P..

Sirli du désert *Alaemon alaudipes* (Hoopoe Lark)

One heard on 25.02 at Lipar, one on 26 10 km east to Chahbahar (HPR, SN), 4 on 3.03 in Bushehr Bay (including 2 at Halileh),

Alouette calandre *Melanocorypha calandra* (Black-crowned Calandra Lark)

One in flight on 21.02 at ES, 10 in flight on 1.03 at Arjan Lake, 1+ on 2 in Hilleh area, one at Abparkhash on 5.

Alouette calandrelle *Calandrella brachydactyla* (Short-toed Lark)

One on 2.03 in Hilleh area, one well seen on 4 south to Karri, 25+ on 7 between Sharshemeh and Shahrababak .

Alouette de Swinhoe *Calandrella cheleensis* (Asian Short-toed Lark)

5-10 in steppe on 3.03 in Bushehr Bay.

Sous-espèce *persica*.

Alouette piskolette *Calandrella rufescens* (Lesser short-toed Lark)

One probable on 1.03 at Arjan Lake.

Cochevis huppé *Galerida cristata* (Crested Lark)

2+ on 22.02 at Seyed Mohalli, 5-6 in Chahbahar Bay on 23. Elsewhere, common at very common in Baluchistan, Qeshm island, and in Bushehr ara. Seen also on 1.03 ar Arjan Lake.

Sous-espèce *persica*.

Alouette des champs *Alauda arvensis* (Sky Lark)

several on 21.02 at Esbaran, hundreds in steppe at Larim Sara/Zarin Kola on 22 and 30 the same day at Zagh Narz, dozens on 2.03 in Hilleh area, several in the steppe on 3 in Bushehr Bay, 10-15 on 4 in Mond estuary and 10+ on 5 in Hilleh area again.

Sous-espèce *dulcivox* (plus grise et plus pâle qu'*arvensis*) dans le nord, *armenicus* dans le sud ??? (également plus grise).

Alouette haussecol *Eremophila alpina* (Shore Lark)

5 at Kandovan Pass on 23.02, one in between Sharshemeh and Shahrababak on 7.03.

Dans l'Elbourz les oiseaux ont la face blanche (et non jaune ou jaunâtre), sous-espèce *penicillata* probable ici.

Hirondelle de rivage *Riparia riparia* (Sand Martin)

Dozens on 2 and 5.03 in Hilleh area, several on 3 at Doroodgah.

Pas noter la sous-espèce...

Hirondelle isabelline *Ptyonoprogne fuligula* (Rock Martin)

2 at Konarak airport on 24.02, several around Negur on 25, several on 26 10 km east to Chahbahar, one near Suza the same day, one at Bandar Abbas airport on 28, one on 3.03 at Halileh, 2+ on 4 in Mond estuary.

Hirondelle rustique *Hirundo rustica* (Barn Swallow)

On 24.02, several dozens at Konarak (ans local birds in the town), several on 25 around Negur, 10+ on 28 at Bandar Abbas airport, several on 29 at Bamou N.P. and Persepolis, on 1.03 at Arjan Lake, dozens on 2 and 5 in Hilleh area and on 3 at Doroodgah, several on 4 in Mond estuary, several at Delvar sewage ponds on 6.

Sous-espèce *rustica*, comme en Europe.

Hirondelle rousseline *Hirundo daurica* (Red-rumped Swallow)

One on 29.02 at Persepolis, 2 on 3.03 at Doroodgah, 4 on 4 in Mond estuary,

Hirondelle de fenêtre *Delichon urbica* (House Martin)

2 near Chahbahar on 26.02 (PJD), one on 2.03 in Hilleh area (AP), 20 on 3 at Doroodgah.

Pipit de Richard *Anthus richardi* (Richard's Pipit)

One on 22.02 at Miankaleh (SN, HPR), one possible on 29 at Bamou N.P. (PJD, HPR).

Pipit rousseline *Anthus campestris* (Tawny Pipit)

6 in the steppe on 3.03 in Bushehr Bay, 20+ on 4 south to Karri (migrants).

A Karri, cette espèce est vu côte à côte avec la suivante, permettant de bonnes obs. Par rapport au "long bec", les moyennes couv. sont centrées de noir tranchant nettement sur le crème des bordures des plumes. Chez le "long bec", les moyennes couv. sont donc moins tranchées et moins visibles. A Karri toujours, un Rousseline présente une face et un sourcil très jaune pâle.

Pipit à long bec *Anthus similis* (Long-billed Pipit)

One at Konarak airport and one in Chahbahar Bay (SN) the same day, one in flight at Lipar on 25, one at Govater the same day, one 10 km east to Chahbahar on 26 and 3 south-east to Qeshm city the same day, one near Suza on 27, 2 on 29 at Bamou N.P., 2 south to Karri on 4.03.

Taille sup. à celle du Rousseline, bec plus long et plus décurve.

Pipit farlouse *Anthus pratensis* (Meadow Pipit)

Several on 21.02 at Esbaran, dozens on 22 at Larim Sara/Zarin Kola, and further south, 2 on 2.03 in Hilleh area.

Pipit spioncelle *Anthus spinoletta* (Water Pipit)

30 on 21.02 at ES, several on 22 at Larim Sara/Zarin Kola. In the south, one on 1.03 at Arjan Lake, dozens on 2 and 5 in Hilleh area, one on 3 in Bushehr Bay, 3 in flight the same day at Doroodgah, 2 on Mond estuary on 4, 30+ on 5 at Delvar sewage ponds (sewage ponds).

Sous-espèce *coutelli*. La tête grisée contraste bien avec le dos brun (plus brun que les oiseaux d'Europe), légèrement strié de noir. Dessous nettement rosé, avec des stries sur la poitrine encore présentes, rectrices ext. bien blanches. A noter 2 cris, un de type "spioncelle" et un autre, nettement "farlouse" !

Bergeronnette printanière *Motacilla flava* (Yellow Wagtail)

Birds of the *feldegg* race : 3 m. on 1.03 at Arjan Lake, one m. on 2 in Hilleh area, 5 m. on 5 and a f. of unidentified race (not *feldegg*).

Bergeronnette citrine *Motacilla citreola* (Citrine Wagtail)

16 birds on 22.02 at Larim Sara/Zarin Kola (f. and 1st-winter only) in wet steppe with Meadow Pipits, 2 ad. m. and one first-summer m. on 28 at Geno, 3 on 2 and 4 on 5.03 in Hilleh area (including one m.).

Sous-espèce *citreola*. Les parties inf. sont très jaune vif, y compris chez le m. de 1er été de Geno, et contrastent très fort sur les sous-caudales blanches. Également large bandeau noir sur la nuque. Cri, un piiiie ! très appuyé et très aigu presque comme une B. des ruisseaux.

Bergeronnette des ruisseaux *Motacilla cinerea* (Grey Wagtail)

On 21.02, one at Esbaran and one at Noor on the Caspian seashore, one on 22 at Miankaleh, 3 in Darakih gorges/Tehran on 6.03 and one m. at Pardisan Lake.

Sous-espèce *cinerea*.

Bergeronnette grise *Motacilla alba* (White Wagtail)

Birds showing characters of *dukhunensis* race at Esbaran and Noor on 21.02 (dozens), 4 at Miankaleh on 22, 2 on 25 at Govater probably *persica* race and 2 at Geno on 28. At least one in Shiraz on 29, 10+ mainly *persica* on 1.03 at Arjan Lake, dozens in Hilleh area on 2 and 5 and dozens on 5 at Delvar sewage ponds probably *dukhunensis* (and even *alba* ?), 2-3 on 3 at Doroodgah, 2 in Mond estuary on 4, 3 on 7 between Sharshemeh and Shahrabak including a pair very close to *personata*.

Un vrai casse-tête !! : dans le sud de la Caspienne, les oiseaux ont des parotiques blanches, un dos gris pâle, une gorge et calotte noires mais aussi beaucoup de blanc à l'aile (RP et RT). Le cri est plus fort que chez *alba*, un *PI-lui* ! plus puissant ---> *dukhunensis* (pures ?).

A Miankaleh, une f. a du blanc sur l'aile, une tête et un dos gris pâle, une gorge noire réduite ---> *dukhunensis*.

A Govater, 2 oiseaux (un photographié) sont sans doute de la race (instable ?) *persica* avec beaucoup de noir à la gorge et sur les côtés du cou mais panel blanc à l'aile pas très important visible. De même à Geno, ind. avec large bavette noire qui rejoint la calotte sans la toucher ; le miroir blanc sur l'aile est réduit. A Arjan Lake, des oiseaux ont beaucoup de noir à la poitrine jusqu'à la nuque (la touchant), la joue est nettement blanche et il y a pas mal de blanc sur l'aile, d'autres semblent au contraire indiscernable de *dukhunensis* ---> *persica*, hautement variable.

A Hilleh et environs, bien des oiseaux semblent indiscernables d'*alba*, et n'ont pas les marques blanches visibles de *dukhunensis*, bien que certaines aient un peu plus de plan sur les RT - variable (*alba* hivernet-elle ici ? C'est bien possible...).

Enfin vers Shahrabak, les oiseaux (photographiés) sont comme *personata*, mais la joue n'est pas complètement noire !

Bulbul à joues blanches *Pycnonotus leucogenys* (White-checked Bulbul)

2 in Chahbahar Bay on 24.02, 4 at Lipar, 2 near Negur and 2 at Govater on 25, fairly common on 26 10 km east to Chahbahar and 2 the same day south-east to Qeshm city, common on Qeshm island on 27 and at Geno on 28, 3 in palm grove in Hilleh area on 2.03, fairly common on 3 at Doroodgah and on 4 south to Karri, abundant on 5 at Abparkhash.

Sous-espèce *mesopotamiae*. Possède un anneau jaune étroit autour de l'œil.

CinCLE plongeur *Cinclus cinclus* (Dipper)

1-2 along a stream near Marzanabad on 23.02, 4 on 6.03 in Darakih gorges/Tehran.

Sous-espèce *caucasicus*, plutôt brun sombre.

Troglodyte mignon *Troglodytes troglodytes* (Wren)

Fairly common in Noor forest on 21.02, several in bushy dunes in Miankaleh on 22,

Sous-espèce *hyrcanus*, assez pâle, plus grisâtre (?).

Accenteur mouchet *Prunella modularis* (Hedge Accentor)

One at Ruyan in a garden near Ellen Tavakoli's house on 23.02.

Sous-espèce *obscura*, nettement brune.

Accenteur de Radde *Prunella ocularis* (Radde's Accentor)

3 on 29.02 at Bamou N.P..

Rougegorge familier *Erithacus rubecula* (Robin)

One on 21.02 at Esbaran and several the same day in Noor forest, several on 22 in dunes of Miankaleh and one 23, several at Ruyan and one near Marzanabad, one calling on 5.03 at Abparkhash and one in Pardisan park/Tehran on 6.

Au sud de la Caspienne au moins, c'est la sous-espèce *hyrcanus*, caractérisée par des sus-caudales rousses !

Gorgebleue à miroir *Luscinia svecica* (Bluethroat)

One m. on 22.02 at Seyed Mohalli (SN, HPR), 3 (including one m. singing heard by SN) on 3.03 at Doroodgah, about 10 on 5 at Abparkhash.

Sans doute en partie la sous-espèce *magna*. Dans le secteur d'Hilleh, un m. présente un miroir roux avec du blanc sur l'ocelle ! (*pallidogularis* ?).

Rougequeue d'Eversmann *Phoenicurus erythronotus* (Eversmann's Redstart)

One m. on 24.02 near Konarak airport (MD), one m. on 29 in Bamou N.P., one m. on 1.03 at Arjan Lake.

Superbe espèce au motif alaire complexe, les m. sont en plumage usé, c'est à dire bien coloré. Sans doute des hivernants.

Rougequeue noir *Phoenicurus ochruros* (Black Redstart)

One m. on 24.02 in Chahbahar Bay, 3 m. and one f. on 26 10 km east to Chahbahar, 5 on 28 at Geno, 2 m. on 29 in Bamou N.P., one f. the same day at Persepolis, one with back back on 2.03 in Bushehr, one m. the same day in Hilleh area, one f. on 3 in Bushehr Bay, one m. the same day at Dorooghah, one m. and one f. on 4 in Mond estuary and 3 m. south to Karri.

La plupart des oiseaux du sud de l'Iran sont sans doute des *phoenicuroides* (hivernants) au dos gris, poitrine noire et reste des parties inf. vermillon. L'oiseau vu dans la ville de Bushehr, au dos nettement noir, est sans doute un *ochruros*, sous-espèce par ailleurs hautement variable (à laquelle on doit rattacher les oiseaux vus au dos gris foncé ??).

Rougequeue à front blanc *Phoenicurus phoenicurus* (Common Redstart)

2+ on 24.02 in Chahbahar Bay (srub), on at Lipar on 25, one f. on 26 10 km east to Chahbahar, 2 at Geno on 28, one f. on 2.03 in Hilleh area, one f. on 4 south to Karri, one f. on 5 at Abparkhash.

Sous-espèce nominale ici.

Tarier pâtre *Saxicola torquata* (Common Stonechat)

One pair on 1.03 at Arjan Lake (*armenica*), 2 m. *variegata* on 4 south to Karri, one probable f. *maura* at the same place (HPR), 10 (all *armenica* except one *variegata* m.) on 5.03 in Hilleh area agricultural fields).

armenica - le m. est assez peu différent de *maura*, pas vu de blanc nettement à la queue, le croupion est blanc, la poitrine orange, tranchant bien sur les parties inf. blanches. Collier blanc bien marqué. La f. n'est pas très différente de celles des sous-espèces ouest-européennes (mai vite vue). A noter que les nicheurs du sud de la Caspienne - qui hivernent jusque dans le Fars et au-delà ? - sont intermédiaires avec *variegata*...

variegata - les m. sont très colorés avec la gorge et la poitrine rouge vif, le reste des parties inf. oranges sauf le bas-ventre blanc pur. Large demi-collier blanc. Blanc sur la queue de type "Gobemouche nain" ou traquet *Oenanthe*.

Traquet isabelle *Oenanthe isabellina* (Isabelline Wheatear)

One migrant m. in dunes of Miankaleh on 22.02 (early ?), 2 in Chahbahar Bay on 24 (PJD, HPR), several in Negur area and one at Govater on 25, 8 south-east to Qeshm city on 26, 2 north to Laft and 2 near Suza on 27, common at Bamou N.P. on 29, several on 1.03 at Arjan Lake, on 2 and 5 in Hilleh area, on 3 in Bushehr Bay, common on 4 in Mond estuary and south to Karri, several on 7 between Sharshemeh and Shahrababak in semi-desert.

Traquet pie *Oenanthe pleschanka* (Pied Wheatear)

One f. 10 km east to Chahbahar on 26.02, one 1st-summer m. on 29 in Bamou N.P., 2 m on 1.03 at Arjan Lake (PJD, HPR), 5 on 2 in Hilleh area.

One 1st-summer m. on 1.03 at Arjan Lake showing intermediate characters between Pied and Black-eared Wheatear ("vittata" ?).

Le m. imm. "*vittata*" a le dessus brun-gris, un léger sourcil crème avec des parotiques noires descendant en arrière pour former un demi-collier brun-noir devant. Les ailes sont un peu plus brunes que le reste des parties sup., les petites et grandes couvertures sont liserées de beige, la gorge est blanche. Le "T" sur la queue est assez proéminent. Ventre blanc, mais coloration orange-chamois sur le haut de la poitrine et les flancs.

Traquet oreillard *Oenanthe hispanica* (Black-eared Wheatear)

One m. on 3.03 in Bushehr Bay (PJD), one f. on 4 south to Karri, another m. on 5 in Hilleh area (migrants).

Traquet du désert *Oenanthe deserti* (Desert Wheatear)

One m. on 24.02 in Chahbahar Bay, 2-3 on 25 near Negur, 2 m. the same day at Govater, one m. on 26 south-east to Qeshm city, 2 m. on 27 near Suza, 3 on 2.03 in Hilleh area, 2 m. on 4 in Mond estuary and 2 others south to Karri the same day, several (singing m.) on 7 between Sharshemeh and Shahrababak .

Les nicheurs de la région de Sharshemeh et Shahrababak sont sans doute des *atroregularis*.

Traquet de Finsch *Oenanthe finschii* (Finsch's Wheatear)

5 on 29.02 in Bamou N.P....

Traquet à queue rousse *Oenanthe xanthopyrna* (Red-tailed Wheatear)

Several between Negur and BERIS HARBOUR and near Lipar, one on 29 in Bamou N.P. (SN) - all of *chrysopygia* race, one m on 5.03 in Hilleh area is intermediate between *xanthopyrna* and *chrysopygia*

La sous-espèce *chrysopygia* est assez banale, de type "*Oenanthe* femelle" avec des lores et des parotiques noirâtres. La queue est roussâtre et plus rouge près du "T" noir. L'ind. (m.) intermédiaire entre cette sous-espèce et *xanthopyrna* a la gorge noire de cette dernière, mais la queue à "coins roux" de la première !

Traquet variable *Oenanthe picata* (Variable Wheatear)

One f. before Lipar on 25.02, 4 (2m. + 2 f.) on 26 10 km east to Chahbahar, one m. the same day south-east to Qeshm city (AP), 2 m. and one f. on 28 at Geno, one m. on 29 in Bamou N.P..

La f. est brun-noir avec une limite "floue" avec les parties inf. blanches au niveau de la poitrine (celle-ci est brune de même que la gorge). Le m. est proche du T. de Hume (cf. ci-dessous pour les différences), mais il fréquente les milieux désertiques autour des villages, les zones à acacias.

Traquet deuil *Oenanthe lugens* (Mourning Wheatear)

One m. on 29.02 in Bamou N.P. (SN) and another the same day at Persepolis.

Traquet de Hume *Oenanthe alboniger* (Hume's Wheatear)

2 (one seen) on 29.02 in Bamou N.P., one in... steppe (!) on 2.03 in Hilleh area (migrant ?).

Espèce assez forte, par rapport au T. variable : noir des parties sup. plus brillante, moins "mat", bec un peu plus long, plus fort. Fréquente les zones rocheuses, les falaises, les éboulis (sauf l'oiseau d'Hilleh !). Assez solitaire.

Monticole de roche *Monticola saxatilis* (Rock Thrush)

One 1st-summer m. on 29.02 in Bamou N.P., one migrant m. on 2.03 in Hilleh area in steppe.

Monticole bleu *Monticola solitarius* (Blue Rock Thrush)

One singing m. on 24.02 in Chahbahar Bay (cliffs) (PJD, MD), one m. on 26 south-east to Qeshm city, one pair and one m. near Suza on 27, 2 m. on 28 at Geno, 5+ on 29 in Bamou N.P., 2 at Persepolis the same day.

Sous-espèce *longirostris* à peine plus pâle que *solitarius*.

Merle noir *Turdus merula* (Blackbird)

Several on 21.02 at Noor forest; several at Ruyan and Marzanabad, several on 1.03 at Arjan Lake.

Sous-espèces *aterrimus* dans le nord du pays, sans doute *syriacus* dans le Zagros, toutes deux plus ternes que *merula*.

Grive musicienne *Turdus philomelos* (Song Thrush)

Several in Noor forest (songs heard) on 21.02, 4+ in dunes on 22 in Miankaleh, 2-3 on 23 at Ruyan, 4+ on 3.03 at Doroodgah and 2 on 4 south to Karri (both wintering birds), 10+ on 5 at Abparkhash (HPR), wintering birds too.

Bouscarle de Cetti *Cettia cetti* (Cetti's Warbler)

2 (one seen) on 21.02 at ES, 2+ on 21 at Seyed Mohalli.

Sous-espèce *albiventris* dans le sud de la Caspienne, plus pâle et plus grise que les oiseaux européens.

Prinia gracile *Prinia gracilis* (Graceful Warbler)

Heard before Lipar on 25.02, 1+ on 27 north to Laft, 10 in Geno on 28, at least one on 4.03 in Mond estuary, 2-3 the same day south to Karri, several on 5 in Hilleh area.

Dromoïque du désert *Scotocerca inquieta* (Streaked Scrub Warbler)

3 (family ?) on 28.02 at Geno (PJD), several on 29 at Bamou N.P., several on 3.03 at Doroodgah, 10+ on 7 between Sharshemeh and Shahrabak in *Zygophyllum* steppe.

La sous-espèce *striata* se distingue par la quasi-absence d'un sourcil ; également plus grise.

Lusciniole à moustaches *Acrocephalus melanopogon* (Moustached Warbler)

Several (some seen) on 22.02 at Seyed Mohalli.

Sous-espèce *mimica*. Le cri d'alarme est un *têc-têc* assez fort et sec (un peu P. brun), suivi d'une roulade *rrrrrrrr*.

Rousserolle stentor *Acrocephalus stentoreus* (Clamorous Reed Warbler)

2-3 singers on 25.02 in Govater mangrove, 10+ singers on 27 in Hara N.P. mangroves.

Rousserolle effarvate *Acrocephalus scirpaceus* (Reed Warbler)

One strange *fuscus* seen on 1.03 at Arjan Lake (migrant, seen below), one heard on 3 near Bushehr, one on 5 in Hilleh area (SN).

L'oiseau d'Arjan Lake vu le 1.03 ressemble vraiment à une R. des buissons *A. dumetorum* : coloration brun-vert olive uniforme, rémiges assez uniforme, position très horizontale (elle se tient presque toujours à terre, à découvert), sourcil bien marqué à l'avant de l'œil, mandibule inf. orange, pattes gris-chair pâle. Cependant le croupion est plus roux, la projection primaire est assez longue et l'alula est bien visible. Alors ?...

Fauvette de Ménétries *Sylvia mystacea* (Ménétries's Warbler)

On 27.02, one m. near Suza and 1-2 north to Laft, 4 near Qeshm-city on 28 (SN, AP), one m. on 4.03 south to Karri.

Fauvette naine *Sylvia nana* (Desert Warbler)

One in Mond estuary on 4.03, 2 (holding territory ?) the same day south to Karri, 3+ on 7 between Sharshemeh and Shahrabak.

A noter les pattes jaune-orangé, la mandibule inf. jaunâtre et l'œil jaune. Alarme : un *tchrrrr* bas et assez long. Sous -espèce nominale.

Fauvette orphée *Sylvia hortensis* (Orphean Warbler)

One m. on 24.02 in Chahbahar Bay (PJD, MD), one m. at Lipar on 25, 3-4 on 26 10 km east to Chahbahar, one the same day south-east to Qeshm city (PJD), one near Suza and one north to Laft on 27, one f. on 29 in Bamou N.P., one m. the same day at Persepolis (PJD, AP), one on 4.03 in Mond estuary, 3 on 5 in Hilleh area.

Sous-espèce *crassirostris* qui montre des parotiques noires tranchant sur le reste de la calotte gris foncé. A Hilleh le 5.03, un m. est de la sous-espèce orientale *jerdoni*, c'est à dire que la tête est entièrement noir de jais et les sous-caudales sont blanches.

Fauvette babillarde *Sylvia curruca* (Lesser Whitethroat)

One at Lipar on 25.02 (MD), 6 including 1-2 *blythi* on 26, one near Suza on 27 (SN), 3 at Geno on 28,

Autre casse-tête ! : 2 types reconnus :

- **type 1** : à Chahbahar et environs par ex., ind. de type *blythi* (ou *margelanica* ?) à dos brun-gris, très léger sourcil blanc en avant et au-dessus de l'œil. Le cri est une crécelle de type "Mélanocéphale" en moins fort. Ind. hivernants, sans doute.

- **type 2** : d'autres oiseaux notés à Chahbahar et à Geno sont beaucoup plus pâles, plus gris, avec des parotiques non marqués (même couleur que le reste de la tête = gris clair), à coloration gris-sable, concolore et uniforme sur les ailes. A Geno, oiseau chanteur et cantonné : un babil pas très fort, avec quelques notes râpeuses, et une alarme : *tchrrrr* doux. Il s'agit d'ind. intermédiaires entre le groupe *althaea* et *minula* ?? Impossible de répondre !...

Fauvette minule *Sylvia (curruca) minula* (Desert Lesser Whitethroat)

One on 24.02 in Chahbahar Bay (PJD, AP), 2 on 4.03 south to Karri.

Sans doute des ind. de la sous-espèce *jaxartica*, apparentée à *minula*... Taille légèrement inf. la "Babillarde", queue courte, coloration gris-brun terne et pâle, uniforme, tête uniforme sans parotiques sombres (semblable au type 2 ci-dessus, mais plus petite et à queue plus courte), oiseaux vifs, souvent à couvert et bas dans la végétation.

Pouillot modeste *Phylloscopus neglectus* (Plain Warbler)

4 (one seen and heard and one heard by myself) on 3.03 at Doroodgah, one south to Karri on 4, 4 (including 2 singers seen by HPR) on 5 at Abparkhash.

Petit pouillot de la taille d'un roitelet/P. de Pallas, silhouette de Véloce en miniature, mais projection primaire et queue courtes. Très vif comme un roitelet, fait aussi du vol sur place comme un "Pallas".

Coloration générale brun grisâtre dessus, beige grisâtre dessous, sourcil assez marqué, notamment en avant de l'œil, parfois (mais pas toujours) un peu moins à l'arrière et se terminant en pointe ; de couleur beige-grisâtre. Trait sourcilier noir, bec et pattes noires. Sous-caudales blanchâtres.

Le cri est un *tchurr* un peu de Moineau domestique, mais plus étouffé et ne portant pas loin (aussi un peu "P. brun lointain").

Pouillot véloce *Phylloscopus collybita* (Common Chiffchaff)

Several *abietinus* types and one *tristis* type (MD) on 21.02 at Esbaran, one* on 22 at Zagh Narz and several* at Miankaleh, one *abietinus* on 23 at Ruyan, one *tristis* on 24 in Chahbahar Bay (MD), 2 *tristis* on 25 at Lipar (PJD), 5-6 *tristis* including 3 singers on 26 10 km east to Chahbahar, 2+ *tristis* singing on 27 in Hara N.P., 3 *tristis* singers south-east to Qeshm city on 28 (SN, AP), 15-20 *abietinus* types on 1.03 at Arjan Lake, 3 *abietinus* on 2 in Hilleh area, 30+ *abietinus* at Doroodgah on 3, one on 4 south to Karri, 10+ *abietinus* on 5 at Abparkhash and 10+ elsewhere in Hilleh area the same day, 3 at Pardisan park/Tehran on 6, including a *fulvescens* (?) type.

Encore une espèce pas simple ! :

- type *abietinus* : la majorité des oiseaux sont de ce type au printemps, certains même guère différents d'un *collybita* ! Le cri est celui ent. normalement par *abietinus*, un *hu-î* un peu bi-syllabique. Cependant à Ruyan, à Bushehr et environs (notamment au nord), le cri est nettement bi-syllabique, parfois plus proche de *tristis* que d'*abietinus*, assez doux : *HU-î* avec inflexion sur le "hu", signant peut-être des oiseaux d'une zone d'intergradation ?

- type *tristis* : noté avec certitude dans le SE du pays (Balouchistan) et jusqu'à Bandar Abbas. Coloration brun-gris, sans jaune, bec et pattes noires, sourcil beige pâle net, légère barre alaire sur les couvertures etc... ainsi que le cri typique *hû...hû...hû...* (enregistrements). Le chant (pas très bien entendu) ne semblait pas toujours très différent de celui de *collybita*.

- type "*fulvescens*" : un ind. le 6.03 à Tehran. oiseau très gris, bec noir-brun - pas de base orange, assez long et assez fort, et pattes noires, pas de barre alaire, dessus grisâtre-crème sans teinte brune. Vexille ext. des tertiaires légèrement verdâtres, sourcil gris-beige moyennement marqué. Cri, un *sui-he* avec légère tonalité bi-syllabique (cf. oiseau de Bushehr) ---> *menzbieri* possible ? (nord-est de l'Iran).

- type "*sud-Caspienne*" : des oiseaux au pattern assez variable (allant du P. montagnard à *abietinus*), souvent avec un sourcil bien prononcé et un trait sourcilier noir, avec un peu de verdâtre au croupion et au rémiges primaires et un cri particulier sont notés autour de la baie de Gorgan (sud Caspienne). Le cri est un *FUU-hi* ou *HUI-e* assez fort, rappelant un peu un Accenteur mouchet (le *fuu*) mais aussi le P. montagnard, plus puissant que celui du *tristis* ou de l'*abietinus*. S'agit-il de *menzbieri* - ce qui pourrait être possible, vu les cris - ou d'autre chose ?? Mystère.

Pouillot de Lorenz (= montagnard) *Phylloscopus sindianus* (Mountain Chiffchaff)

2 on 5.03 at Abparkhash.

Pouillot de type "Vélocé" à coloration bien brun dessus, large sourcil crème-blanc, trait sourcilier noir assez net. Bec assez fort à base de la mandibule inf. orange. Projection primaire paraît courte (aile assez courte) ce qui donne l'impression d'une queue longue.

Cri assez proche de celui des P. véloces de Bushehr, c'est à dire un *zu-î*.

Pouillot fitis *Phylloscopus trochilus* (Willow Warbler)

2+ on 1.03 at Arjan Lake, 1-2 at Doroodgah on 3.

Un oiseau d'Arjan Lake est très gris dessus, blanchâtre dessous avec un fort sourcil crème et des pattes gris foncé ! Sans doute un *yakutensis* ou approchant...

Roitelet sp. *Regulus sp.* (Goldcrest/Firecrest)

heard on 23.02 near Marzanabad.

Sans doute R. huppé...

Cratérope indien *Turdoides caudatus* (Common Babbler)

10+ on 24.02 Chahbahar Bay, 10+ before and at Lipar on 25, 9 the same day at Govater, 10-15 on 26 10 km east to Chahbahar and one south-east to Qeshm city the same day (MD), common near Suza on 27, several on 28 at Geno, 4 on 3.03 at Doroodgah, several on 4 in Mond estuary and south to Karri, 10 on 5 at Abparkhash.

Comme tous les cratérope, caractérisé par la multiplicité de ses vocalisations !

Mésange à longue queue *Aegithalos caudatus* (Long-tailed Tit)

3-4 on 21.02 in Noor forest, 2 near the sea in our garden at Noor on 22, several on 23 at Ruyan and Marzanabad.

La sous-espèce *alpinus* présente une petite bavette noire à la gorge, le dessus nettement gris et la calotte blanche bien marquée.

Mésange noire *Parus ater* (Coal Tit)

3 on 21.02 in Noor forest.

C'est ici la sous-espèce *gaddi*, caractérisée par un dos lavé de brun-grisâtre assez chaud et des parties inf. beige-grisâtre (un peu comme la Nonnette).

Mésange bleue *Parus caeruleus* (Blue Tit)

Several on 21.02 in Noor forest.

Haut du dos légèrement verdâtre, mais globalement guère différente des oiseaux ouest-européens, sous-espèce *raddei*.

Mésange charbonnière *Parus major* (Great Tit)

Several on 21.02 in Noor forest, several on 23 at Ruyan and Marzanabad, 10+ on 6.03 in Darakih gorges/Tehran.

Sous-espèce *blanfordi*, à peine plus terne (pâle) que *major*.

Sittelle torchepot *Sitta europaea* (European Nuthatch)

Several on 21.02 in Noor forest.

Sittelle des rochers *Sitta tephronata* (Eastern Rock Nuthatch)

10 on 29.02 in Bamou N.P. (with birds building nest), one the same day at Persepolis (PJD, AP), 2 (one seen) on 1.03 at Arjan Lake,

Sous-espèce *dresseri*, la plus pâle et la plus grande.

Sittelle de Neumayer *Sitta neumayer* (Western Rock Nuthatch)

3 pairs seen on 6.03 in Darakih gorges/Tehran.

Sous-espèce *rupicola*. Dans les gorges, un cp. s'active autour d'un nid, le m. chantant sans relâche.

Tichodrome échelette *Tichodroma muraria* (Wallcreeper)

One on 6.03 in Darakih gorges/Tehran (AP).

Grimpereau des bois *Certhia familiaris* (Eurasian Treecreeper)

One on 21.02 in Noor forest.

Sous-espèce *persica*.

Rémiz penduline *Remiz pendulinus* (Penduline Tit)

4 on 22.02 at Seyed Mohalli.

Deux ind. sont de type "classique", c'est à dire du groupe *pendulinus* (sous-espèces *caspius* ?). En revanche un couple du groupe *macronyx* au même endroit - dans le même marais. Typique : ressemble de loin à un petit Tarier pâtre ; tête noire (le noir de celle-ci semble descendre plus bas que dans les illustrations), collier blanc, dos roux. Superbe.

Souimanga asiatique *Nectarinia asiatica* (Purple Sunbird)

Very common on 24.02 in Chahbahar Bay, several at Lipar on 25, very common on 26 10 km east to Chahbahar and on Qeshm island, also at Geno on 28.

Pie-grièche isabelle *Lanius isabellinus* (Isabelline Shrike)

One m. on 27.02 near Suza, 4 in Hilleh area on 2.03, 2 (including a m. killed by the car) on 3 in Bushehr Bay, 2 f. the same day at Doroodgah, 3 in Mond estuary on 4, 7+ on 5 in Hilleh area.

Coloration générale beige, y compris la calotte, celle-ci de couleur légèrement plus chaude au niveau du front, lores pâles, masque noire peu étendu. Le mâle vu près de Suza/Qeshm montre pas mal de blanc à la base des rémiges primaires et la marque blanche est assez visible ; dessous blanchâtre. Sans doute sous-espèce *isabellinus* (ou proche...).

Pie-grièche des steppes *Lanius meridionalis* (Southern Grey Shrike)

One near Negur on 25.02 (MD), one *pallidirostris* on 26 south-east to Qeshm city and one north to Laft on 26 (SN), 2 *aucheri*-types on 28 near Qeshm city (SN, AP), 3 on 2.03 in Hilleh area, 2 on 3 in Bushehr Bay, 2 in Mond estuary and 3 south to Karri on 4 including probably 2 intermediates between *aucheri* and *pallidirostris*, 2+ on 5 in Hilleh area.

Difficile de mettre un nom. La sous-espèce *pallidirostris* a le dos gris pâle, le dessous légèrement teinté de beige rosé, le bec gris pâle (un peu plus pâle à la base et paraît parfois corne sous certains angles, comme la Linotte mélodieuse), lores gris pâle, fin bandeau noir à l'arrière de l'œil, petit trait sourcilier blanc. Zone blanche sur les scapul. Tâches blanches sur les rémiges primaires et la pointe des tertiaires. Gorge plus blanche tranchant sur le reste des parties inf.

Les oiseaux intermédiaires entre *pallidirostris* et *aucheri* ont beaucoup de blanc à l'aile et aux scapulaires, mais des lores noirâtres.

Pie-grièche "grise" *Lanius meridionalis/excubitor* ("Grey" Shrike)

2-3 on 24.02 at Konarak (MD, SN), several on 7 between Sharshemeh and Shahrbabak ...

Pie-grièche à tête rousse *Lanius senator* (Woodchat Shrike)

One m. on 1.03 at Arjan Lake (PJD), 4 on 2 in Hilleh area, 2 on 4 in Mond estuary and 2 the same day south to Karri, several on 5 in Hilleh area.

Pie-grièche à bandeau *Lanius vittatus* (Bay-backed Shrike)

One m. on 24.02 in Chahbahar Bay (PJD, MD), one near Lipar on 25 (PJD).

Belle espèce, bien typique.

Geai des chênes *Garrulus glandarius* (Eurasian Jay)

5-6 on 1.03 above Arjan Lake in the forest.

Sous-espèce *atricapillus*.

Pie bavarde *Pica pica* (Magpie)

Fairly common in Southern Caspian up to 2 500m, in Shiraz area and in Tehran area, several on 7 between Sharshemeh and Shahrabak .

Sous-espèce *bactriana*. Pas mal de blanc à l'aile.

Crave à bec rouge *Pyrhocorax pyrrhocorax* (Red-billed Chough)

4 on 23.02 after Marzanabad, 15 on 29 in Bamou N.P. and 400+ belonging probably to that species the same day near Zarphan, 2+ on 1.03 at Arjan Lake, 6 in Darakih gorges/Tehran on 6.

Choucas des tours *Corvus monedula* (Eurasian Jackdaw)

Heard on 6.03 in Pardisan park/Tehran(AP).

Corbeau familier *Corvus splendens* (House Crow)

one in Bandar Abbas harbour on 26.02 and 2 there on 28 (MD, SN), 70 on 2-4.03 at nocturnal roost near the hotel at Bushehr .

Corbeau freux *Corvus frugilegus* (Rook)

Fairly common around Noor, Ruyan, and Miankaleh area, very common in Shiraz area and around Arjan Lake on 1.03.

Corneille mantelée *Corvus corone cornix* (Hooded Crow)

Fairly common in Southern Caspian up to high mountain, in Shiraz area, very common in Tehran on 6 and fairly common in Sharbabak area on 7.

Sous-espèce *sharpii*.

Corbeau brun *Corvus ruficollis* (Brown-necked Raven)

10 from Chahbahar to Govater on 25.02, 2 in Govater the same day, 4-5 on 26 10 km east to Chahbahar and 2 the same day south-east to Qeshm city, 10+ between Suza and Hara N.P. on 27, 4 near Karri on 4.03.

Grand Corbeau *Corvus corax* (Common Raven)

One on 23.02 towards Kandovan Pass.

Étourneau sansonnet *Sturnus vulgaris* (Common Starling)

Fairly common in Southern Caspian, several on 1.03 at Arjan Lake, hundreds in Hilleh area on 2 and dozens in Bushehr Bay on 3, 2 in Darakih gorges/Tehran on 6.

Martin triste *Acridotheres tristis* (Common Myna)

3 seen on 25.02 at Negur where it breeds under roofs.

Apparemment pas très fréquent ?...

Moineau domestique *Passer domesticus* (House Sparrow)

Fairly common in Southern Caspian, several near Konarak airport on 24.02, several at Lipar on 25, seen 10 km east to Chahbahar on 26 and common the same day south-east to Qeshm city, common on 28 at Geno. Seen also in Shiraz area and quite common around Bushehr, especially in Hilleh area and in Tehran.

Moineau espagnol *Passer hispaniolensis* (Spanish Sparrow)

10 at Larim Sara/Zarin Kola and several at Zagh Narz on 22.02, 5-6 on 26 10 km east to Chahbahar, 4+ on 28 at Geno, about 15 on 3.03 at Doroodgah, 40+ on 4 south to Karri, dozens on 5 at Abparkhash and in Hilleh area.

Moineau friquet *Passer montanus* (Tree Sparrow)

One on 21.02 at Esbaran (AP), one on 23 at Ruyan.

Moineau de la Mer Morte *Passer moabiticus* (Dead Sea Sparrow)

40 in tamarisks on 3.03 at Doroodgah (but 250 seen by AP), several on 5 at Abparkhash and 10+ in Hilleh area the same day.

Les m. commencent à prendre leur PN.

Moineau pâle *Carpodacus brachydactyla* (Pale Rock Sparrow)

One in flight on 29.02 in Bamou N.P., one on 4.03 south to Karri (PJD).

A noter le dos uni. En vol, le cri est caractéristique, roulé et doux comme un guêpier lointain.

Moineau soulcie *Petronia petronia* (Rock Sparrow)

45 on 1.03 at Arjan Lake.

Capucin bec-de-plomb *Euodice malabarica* (Indian Silverbill)

22 on 26.02 10 km east to Chahbahar.

Pas très commun

Pinson des arbres *Fringilla coelebs* (Common Chaffinch)

Several in song on 21.02 in Noor forest, several on 22 at Miankaleh, fairly common on 23 near Marzanabad, several on 29 in Bamou N.P., on 1.03 at Arjan Lake, one f. far south on 3 at Doroodgah, 10 on 6 in Darakih gorges/Tehran.

Sous-espèce *alexandrovi* dans le sud de la Caspienne au moins, un peu plus sombre.

Pinson du Nord *Fringilla montifringilla* (Brambling)

One m. in winter plum. on 1.03 at Arjan Lake, one f. on 6 in Darakih gorges/Tehran (SN, AP).

Serin à front rouge *Serinus pusillus* (Red-fronted Serin)

One pair in flight on 22.02 at Miankaleh.

Verdier d'Europe *Carduelis chloris* (Greenfinch)

2 on 23.02 near Marzanabad (MD).

Chardonneret élégant *Carduelis carduelis* (Goldfinch)

One on 21.02 at Esbaran, several the same day at Noor and 4 there the following day, several on 22 at Miankaleh, heard on 29 in Bamou N.P., several on 1.03 at Arjan Lake.

Linotte mélodieuse *Carduelis cannabina* (Linnet)

Several on 29.02 in Bamou N.P.

Sous-espèce *bella*.

Tarin des aulnes *Carduelis spinus* (Siskin)

2 (one in song) on 21.02 in Noor forest and 4 there the following day (SN).

Probablement des nicheurs locaux.

Roselin de Lichtenstein *Rhodopechys obsoleta* (Desert Finch)

One m. on 1.03 at Arjan Lake, one on 3 in Bushehr Bay.

Bruant à calotte blanche *Emberiza leucocephalos* (Pine Bunting)

A probable f. on 21.02 at Larim Sara/Zarin Kola (AP) and 3 f./imm. the same day in Miankaleh dunes, 25 ind., including several m., on 29 in Bamou N.P. (PJD) and 25 ind. on 1.03 at Arjan Lake (several ad. m.).

Bien typiques. A noter, entre autres, la nuque grise et un cri un peu plus doux (?) que le Br. jaune : *plfe*.

Bruant jaune *Emberiza citrinella* (Yellowhammer)

20+ in a monospecific flock on 29.02 in Bamou N.P., 2 on 6.03 at Pardisan park/Tehran.

Bruant fou *Emberiza cia* (Rock Bunting)

2 on 23.02 near Marzanabad, 2 (one in song) on 28 at Geno, 10 on 29 in Bamou N.P., several on 1.03 at Arjan Lake (mountains), one on 6 in Darakih gorges/Tehran.

Bruant striolé *Emberiza striolata* (House Bunting)

One probable song on 1.03 in Shiraz (PJD, HPR).

Bruant des roseaux *Emberiza schoeniclus* (Reed Bunting)

3+ on 21.02 at Noor, 4-5 at Seyed Mohalli and one in Miankaleh dunes on 23.

L'oiseau vu à Miankaleh, très brièvement, est franchement petit avec petit bec, et cri plus mouillé rappelant assez un Br. de Pallas... A Seyed Mohalli, oiseaux sans doute de la sous-espèce *pyrrhuloides* à gros bec...

Bruant proyer *Miliaria calandra* (Corn Bunting)

10-15, including m. in song, on 29.02 in Bamou N.P. steppe, 8 on 1.03 at Arjan Lake, one on 3 at Doroodgah, one on 4 south to Karri, fairly common singers on 5 in Hilleh area.

Sous-espèce *buturlini*, assez pâle et gris.

MAMMIFÈRES

Écureuil des palmiers *Funambulus pennantii* (Palm Squirrel)

3 10 km east to Chahbahar on 26.02.

Mérione de Perse *Meriones persicus* (Persian Jird)

3+ on 7.03 between Sharshemeh and Shahrabak .

Porc-épic indien *Hystrix indica* (Indian Crested Porcupine)

quills found on 25.02 at Lipar, quills and droppings on 29 at Geno, quills on 4.03 in Mond estuary.

Lièvre brun *Lepus capensis* (Brown Hare)

one on 7.03 between Sharshemeh and Shahrabak .

Pika afghan *Ocotona rufescens* (Afghan Pika)

One on 29.02 in Bamou N.P. (SN).

Loup gris *Canis lupus* (Wolf)

One possible on 2.03 in Hilleh area, one well seen on 4 in Mond estuary.

L'animal du 2.03 est vu de trop loin pour être certain. En revanche celui du 4, est bien vu, posé sur son séant et nous fixant puis s'en allant vers les fourrés bordant la rivière. Coloration générale assez fauve (comme beaucoup de loups en Iran), queue touffue assez courte, grosse tête et cou épais.

Chacal doré *Canis latrans* (Golden Jackal)

One near Chahbahar on 25.02, one on 29 at Persepolis (in fields), one south to Karri on 4.03, 2 (one photographed) the same day in Mond estuary.

Renard roux *Vulpes vulpes* (Common Fox)

One, by night in Elbourz on 21.02, 2 on 27 north to Laft, one on 29 in Bamou N.P. and one on 6.03 in Darakih gorges/Tehran.

Belette *Mustela nivalis* (Weasel)

One on 21.02 at Esbaran.

Les animaux ici sont de grande taille, quasiment celle d'une hermine !

Mangouste d'Edwards *Herpestes edwardsii* (Indian Grey Mongoose)

One seen on 27.02 near Suza (MD, AP).

Mangouste naine *Herpestes auropunctatus* (Small Indian Mongoose)

One on 28.02 at Geno, one on 29 at Persepolis (HPR).

Hyène rayée *Hyaena hyaena* (Striped Hyaena)

One on 29.02 in Bamou N.P. (SN), one found dead on 1.03 near Arjan Lake (HPR).

Sanglier *Sus scrofa* (Wild Boar)

Total of **30** on 1.03 at Arjan Lake, tracks on 4 in Mond estuary.

Gazelle à goitre *Gazella subgutturosa* (Goitred Gazelle)

100+ ind. on 29.02 in Bamou N.P., 25 on 4.03 in Mond estuary.

Mouflon d'Orient *Ovis "orientalis"* (Wild Sheep)

80+ ind. on 29.02 in Bamou N.P.

Marsouin de Cuvier *Neophocaena phocaenoides* (Finless Porpoise)

8 on 27.02 in the Hara N.P. mangrove.

Les ind. observés sont plus gris foncé que dans les guides d'identification...

REPTILES & AMPHIBIENS

Couleuvre à collier *Natrix natrix*

One on 21.02 at Esbaran, one on 22 at Seyed Mohalli.

Psammophis sp. *Psammophis sp.*

One on 29.02 at Bamou N.P.

Emyde lépreuse *Mauremys caspica*

several on 22.02 at Seyed Mohalli.

Cistude d'Europe *Emys orbicularis*

One on 22.02 at Seyed Mohalli.

Rainette *Hyla savignii*

Heard in Noor forest on 21.02.

Grenouille rieuse *Rana ridibunda*

Common around Fereidoonkenar on 21.02.